Index to Volume 86

January–June, 1997

Author Index

AASLID R. *See* Jünger EC, 425
ABDOU S. Edema, thrombin, and dexamethasone. Letter, 575
ABE H. *See* Sawamura Y, 203
ADAMSKI E. *See* Ordia J, 918
AGUAS J. *See* Martínez-Pérez I, 708
ALBRIGHT AL. *See* Grabb PA, 1
_____. *See* Resnick DK, 151
ALFIERI A. *See* Cappabianca P, 171
ALLEN J. *See* Packer RJ, 747
AL-MEFTY O, BORBA LAB. Skull base chordomas: a management challenge, 182
_____. *See* Arnautović KI, 252, 316
_____. *See* Eisenberg MB, 822
ALONSO J. *See* Martínez-Pérez I, 708
ALVES WM. *See* Haley EC Jr., 467
AMAGASA M. Monstrous crablike hypertrophy of the cerebellar vermis. Letter, 737
ANDERS M. *See* Schrell UMH, 840, 845
ANDRUS HL. *See* Lee TT, 624
ANSELL LV. *See* Schnee CL, 48, 56
AOUAD N. *See* Darrouzet V, 812
APOSTOLIDES PJ, LAWTON MT, SMITH KA, SPETZLER RF. Embolization and radiosurgery for AVMs. Letter, 318
APPERSON-HANSEN C. *See* Haley EC Jr., 467
ARGINTEANU MS, HAGUE K, ZIMMERMAN R, KUPERSMITH MJ, SHAIU JH, SCHAEFFER J, POST KD. Craniopharyngioma arising de novo in middle age. Case report, 1046
ARIAS JM. *See* Lee TT, 624
ARLE JE, MORRISS C, WANG ZJ, ZIMMERMAN RA, PHILLIPS PG, SUTTON LN. Prediction of posterior fossa tumor type in children by means of magnetic resonance image properties, spectroscopy, and neural networks, 755
ARNAUD E. *See* Chumas PD, 177
ARNAUTOVIĆ KI, AL-MEFTY O. The suboccipital cavernous sinus. Letter, 316
_____, _____, PAIT TG, KRISHT AF, HUSAIN MM. The suboccipital cavernous sinus, 252
ARÚS C. *See* Martínez-Pérez I, 708
ASAHARA H. *See* Suzuki M, 741
ASHKENAZI E. *See* Onesti ST, 572
ATER J. *See* Packer RJ, 747
ATKINSON JLD. *See* Schievink WI, 165
ATLAS SW. Functional magnetic resonance imaging. Letter, 317
AUSMAN JI. *See* Slavin KV, 163
AVELLINO AM. *See* Jünger EC, 425

BABU RP, LANSEN TA, CHADBURN A, KASOFF SS. Erdheim-Chester disease of the central nervous system. Report of two cases, 888
BAKER KB. *See* Ojemann JG, 1022
BALASUBRAMANIAM V. Thalamic stimulation in movement disorders. Letter, 737
BARNETT GH. *See* Prayson RA, 1049
BATZDORF U. *See* Klekamp J, 233
BAUMANN TK. *See* Taha JM, 642
BAVETTA S, NORRIS JS, WYATT M, SUTCLIFFE JC, HAMLYN PJ. Prospective study of zero drift in fiberoptic pressure monitors used in clinical practice, 927
BEBEAR JP. *See* Darrouzet V, 812
BECKER DP. *See* Bergsneider M, 241
_____. *See* Kelly DF, 633
BEDNAR MM, GROSS CE, RUSSELL SR, SHORT D, GICLAS PC. Activation of complement by tissue plasminogen activator, but not acute cerebral ischemia, in a rabbit model of thromboembolic stroke, 139
BEJJANI GK, SEKHAR LN. Repositioning of the vertebral artery as treatment for neurovascular compression syndromes. Technical note, 728
_____. *See* Sekhar LN, 1036
BELL DA. *See* Holder CA, 704
BENLI K. *See* Turgut M, 714
BERGSNEIDER M, HOVDA DA, SHALMON E, KELLY DF, VESPA PM, MARTIN NA, PHELPS ME, MCARTHUR DL, CARON MJ, KRAUS JF, BECKER DP. Cerebral hyperglycolysis following severe traumatic brain injury in humans: a positron emission tomography study, 241
_____. *See* Kelly DF, 633
BERNSTEIN M. *See* Macdonald RL, 990
BETTAG M. *See* Reifenberger G, 740
BHUSHAN C. "Miliary" metastatic tumors in the brain. Case report, 564
BIRSNER HA. Minimalist versus maximalist approach to the degenerative spine. Letter, 1069
BLACK KL, CLOUGHESY T, HUANG SC, GOBIN YP, ZHOU Y, GROUS J, NELSON G, FARAHANI K, HOH CK, PHELPS M. Intracarotid infusion of RMP-7, a bradykinin analog, and transport of gallium-68 ethylenediamine tetraacetic acid into human gliomas, 603
BLAYNEY AW. *See* Darrouzet V, 812
BOCK WJ. *See* Reifenberger G, 740
BOJANOWSKI M. *See* Raymond J, 211
BORBA LAB. *See* Al-Mefty O, 182
BOSTRÖM J. *See* Reifenberger G, 740
BOTHE HW. *See* Klekamp J, 233
BOWMAN RM. *See* Wolfla CE, 505
BOWSHER D, MILES JB, HAGGETT CE, ELDRIDGE PR. Trigeminal neuralgia: a quantitative sensory perception threshold study in patients who had not undergone previous invasive procedures, 190
_____. *See* Miles JB, 193
BOYETT JM. *See* Packer RJ, 747
BRAAKMAN R. *See* Harders A, 317
BRADLEY EL. *See* Vale FL, 462
BRANCH CL JR. *See* Coric D, 969
BRAVO G. *See* Lopéz-Lozano JJ, 931
BRERA B. *See* Lopéz-Lozano JJ, 931
BRISMAN MH, SEN C, CATALANO P. Results of surgery for head and neck tumors that involve the carotid artery at the skull base, 787
BROADDUS WC. *See* Watson JC, 159
BROTCHI J. *See* Decaestecker C, 532
_____. *See* Pirotte B, 917
BROWN CJ. *See* Stoodley MA, 686
BROWN J. *See* Zwimpfer TJ, 433
BROWN RO. *See* Hatton J, 779
BROWN SA. *See* Stoodley MA, 686
BUKAR JG. *See* Hatton J, 779

BURCHIEL KJ. *See* Taha JM, 642
BURGESS JJ. *See* Kumar K, 662
BURKERT W. *See* Rieger A, 577

CAMBY I. *See* Decaestecker C, 532
CANTORE G. *See* Palma L, 793
CAPDEVILA A. *See* Martínez-Pérez I, 708
CAPPABIANCA P, MARINIELLO G, ALFIERI A, DE VITIIS E. Trigeminal neuralgia and contralateral mass. Letter, 171
CARON MJ. *See* Bergsneider M, 241
CARTER LP. *See* Weinand ME, 226
CARTERET M. *See* Cinalli G, 553
CARVALHO GA, NIKKHAH G, MATTHIES C, PENKERT GT, SAMII M. Diagnosis of root avulsions in traumatic brachial plexus injuries: value of computerized tomography myelography and magnetic resonance imaging, 69
CASEY ATH. *See* David KM, 13
_____. *See* Madawi AA, 961
CATALA M, LESOURD S. Agenesis of the corpus callosum. Letter, 914
CATALANO P. *See* Brisman MH, 787
CELLI P. *See* Palma L, 793
CERVONI L. *See* Palma L, 793
CHADBURN A. *See* Babu RP, 888
CHAKRABORTTY S. *See* Tashiro Y, 263
CHAMBERLAIN MC, KORMANIK P. Leptomeningeal metastasis. Letter, 576
CHANG SD, STEINBERG GK, ROSARIO M, CROWLEY RS, HEVNER RF. Mixed arteriovenous malformation and capillary telangiectasia: a rare subset of mixed vascular malformations. Case report, 699
CHAPPELL JE, SHACKFORD SR, MCBRIDE WJ. Effect of hemodilution with diaspirin cross-linked hemoglobin on intracranial pressure, cerebral perfusion pressure, and fluid requirements after head injury and shock, 131
CHEN SA. *See* Hatton J, 779
CHICOINE MR, PARK TS, KAUFMAN BA. Selective dorsal rhizotomy and rates of orthopedic surgery in children with spastic cerebral palsy, 34
_____. *See* Silbergeld DL, 525
CHIOU TSM. Hyperhidrosis. Letter, 739
CHUMAS PD, CINALLI G, ARNAUD E, MARCHAC D, RENIER D. Classification of previously unclassified cases of craniosynostosis, 177
CHYATTE D. *See* Rhoten RLP, 101
CINALLI G, VINIKOFF L, ZERAH M, RENIER D, PIERRE-KAHN A. Dandy-Walker malformation associated with syringomyelia. Case illustration, 571
_____, ZERAH M, CARTERET M, DOZ F, VINIKOFF L, LELLOUCH-TUBIANA A, HUSSON B, PIERRE-KAHN A. Subdural sarcoma associated with chronic subdural hematoma. Report of two cases and review of the literature, 553
_____. *See* Chumas PD, 177
CLOUGHESY T. *See* Black KL, 603
COHEN JE, GINSBERG HJ, TSAI EC, SCHWARTZ ML, PETROCELLI S. Hydatid cyst and brain tumor in the same location. Case illustration, 312
COLOHAN AR. *See* Ghosh S, 736
COLON GP, HOFF JT. Edema, thrombin, and dexamethasone. Letter, 575
COMAIR YG. *See* Rhoten RLP, 101
COMEY CH, KONDZIOLKA D, YONAS H. Regional parenchymal enhancement with mixed cavernous/venous malformations of the brain. Case report, 154
CONESA G. *See* Martínez-Pérez I, 708
COONS SW. *See* Lawton MT, 279
COPLIN WM. *See* Lam AM, 1070
CORIC D, BRANCH CL JR., JENKINS JD. Revision of anterior cervical pseudarthrosis with anterior allograft fusion and plating, 969
COUNELIS G. *See* Kelly DF, 633
CROCKARD HA. *See* Lopez BC, 1018
_____. *See* Madawi AA, 961
CROWLEY RS. *See* Chang SD, 699
CRUZ J. Hypothermia and brain injury. Letter, 911
_____. Pentobarbital and venous oxygenation. Letter, 1075
CUNNINGHAM JM, KIMMEL DW, SCHEITHAUER BW, O'FALLON JR, NOVOTNY PJ, JENKINS RB. Analysis of proliferation markers and p53 expression in gliomas of astrocytic origin: relationships and prognostic value, 121
CZOSNYKA M. *See* Smielewski P, 773

DARGALLO J. *See* Lopez-Lozano JJ, 931
DARLING CF. *See* de León GA, 738
DARROUZET V, GUERIN J, AOUAD N, DUTKIEWICZ J, BLAYNEY AW, BEBEAR JP. The widened retrolabyrinthine approach: a new concept in acoustic neuroma surgery, 812
DAUSER RC, TUITE GF, MCCLUGGAGE CW. Dural inversion procedure for moyamoya disease. Technical note, 719
DAVID KM, CASEY ATH, HAYWARD RD, HARKNESS WFJ, PHIPPS K, WADE AM. Medulloblastoma: is the 5-year survival rate improving? A review of 80 cases from a single institution, 13
_____. *See* Lopez BC, 1018
DAVIES KG. *See* Schweitzer JB, 543
DAY RAA. *See* Ojemann JG, 28
DECAESTECKER C, SALMON I, DEWITTE O, CAMBY I, VAN HAM P, PASTEELS JL, BROTCHI J, KISS R. Nearest-neighbor classification for identification of aggressive versus nonaggressive low-grade astrocytic tumors by means of image cytometry-generated variables, 532
DECQ P, FILIPETTI P, FEVE A, DJINDJIAN M, SARAOUI A, KÉRAVEL Y. Peripheral selective neurotomy of the brachial plexus collateral branches for the treatment of the spastic shoulder: anatomical study and clinical results in five patients, 648
DE LEÓN GA, GRANT JA, DARLING CF. Monstrous crablike hypertrophy of the cerebellar vermis. Letter, 738
DEMONTE F. *See* Eng DY, 547
DEMPSEY RJ. *See* Hatton J, 779
DE TRIBOLET N. *See* Fransen P, 1027
DE VITIIS E. *See* Cappabianca P, 171
DEVOTI M. *See* Riva D, 207
DEWITTE O. *See* Decaestecker C, 532
DICKMAN CA. *See* Levi ADO, 975
DIETZE DD JR., FESSLER RG, JACOB RP. Primary reconstruction for spinal infections, 981
DILLON WP. *See* Fishman RA, 165
DIPIERRO CG. *See* Helm GA, 93
DJINDJIAN M. *See* Decq P, 648
DOLENC VV. Book review, 908
DOUVILLE CM. *See* Jünger EC, 425
DOZ F. *See* Cinalli G, 553
DRAKE JM. *See* Tashiro Y, 263
DRUMMOND KJ. *See* Morgan MK, 801
DUCKWILER G. *See* Viñuela F, 475
DUTKIEWICZ J. *See* Darrouzet V, 812

EFIRD JT. *See* Hsu DW, 113
EISENBERG MB, HADDAD G, AL-MEFTY O. Petrous apex cholesterol granulomas: evolution and management, 822
ELDRIDGE PR. *See* Bowsher D, 190
_____. *See* Miles JB, 193
EL-SAADANY WF. *See* Weinand ME, 226
ENDO M. *See* Yoshimoto Y, 694
ENDO S. *See* Suzuki M, 741
ENG DY, DEMONTE F, GINSBERG L, FULLER GN, JAECKLE K. Craniospinal dissemination of central neurocytoma. Report of two cases, 547
ERYILMAZ M. *See* Turgut M, 714

FAHLBUSCH R. *See* Schrell UMH, 840, 845
FAIST M. *See* Kreth FW, 910

Index

FALCONE SF. *See* Lee TT, 624
FARAHANI K. *See* Black KL, 603
FAVRE J. *See* Taha JM, 642
FEHLINGS MG. *See* Macdonald RL, 990
FELTRIN LT. *See* Mello LR, 143
FERNANDEZ E. Peripheral nerve or brainstem glioblastoma. Letter, 739
FERRAZ FAP. *See* Mello LR, 143
FESSLER RG. *See* Dietze DD Jr., 981
FEVE A. *See* Decq P, 648
FILIPETTI P. *See* Decq P, 648
FINLAY J. *See* Merchant TE, 943
_____. *See* Packer RJ, 747
FIRLIK AD, KAUFMANN AM, JUNGREIS CA, YONAS H. Effect of transluminal angioplasty on cerebral blood flow in the management of symptomatic vasospasm following aneurysmal subarachnoid hemorrhage, 830
FISCHER E. *See* Ordia J, 918
FISHER WS III. *See* Vale FL, 462
FISHMAN RA, DILLON WP. Intracranial hypotension. Letter, 165
FLAMM ES. *See* Sinson G, 511
FLEMING JR. *See* Macdonald RL, 990
FLICKINGER JC. *See* Pollock BE, 319
FOLEY CM. *See* Kanev PM, 762
FOLLETT KA. *See* Sawin PD, 998
FOX AJ. Recurrent AVMs after negative angiography. Letter, 170
FRANCO C. *See* Palma L, 793
FRANSEN P, PIZZOLATO GP, OTTEN P, REVERDIN A, LAGIER R, DE TRIBOLET N. Synovial cyst and degeneration of the transverse ligament: an unusual cause of high cervical myelopathy. Case report, 1027
FRASER D. *See* Thomson AM, 923
FREESE A. *See* Schnee CL, 56
FRIEDMAN AH. *See* Gabriel EM, 311
FRUGONI RR. *See* Moles AF, 577
FUJII Y, TAKEUCHI S, SASAKI O, MINAKAWA T, KOIKE T, TANAKA R. Serial changes of hemostasis in aneurysmal subarachnoid hemorrhage with special reference to delayed ischemic neurological deficits, 594
FUJIMAKI T. Central neurocytoma. Letter, 321
_____. *See* Matsutani M, 446
FUJITA S. *See* Kawaguchi T, 1031
FUKUI M. *See* Yoshimoto K, 734
FUKUSHIMA T. Book review, 1068
FULLER GN. *See* Eng DY, 547
FUNATA N. *See* Matsutani M, 446
FURUTA T. *See* Tada E, 1067
FURUYA H. *See* Karasawa H, 629

GABRIEL EM, FRIEDMAN AH. Brachial plexus compression by venous aneurysms. Case illustration, 311
GARDELLA JL. *See* Moles AF, 577
GENTILI F. *See* Macdonald RL, 990
GESUNDHEIT N. *See* Hatton J, 779
GEYER R. *See* Packer RJ, 747
GHATAN S. *See* Jünger EC, 425
GHOSH S, COLOHAN AR. Book review, 736
GICLAS PC. *See* Bednar MM, 139
GILLIES GT. *See* Helm GA, 93
GINSBERG HJ. *See* Cohen JE, 312
GINSBERG L. *See* Eng DY, 547
GIORGI C. *See* Riva D, 207
GLAZIER SS. *See* Holder CA, 704
_____. *See* Mooney JF III, 162
GOBIN YP. Embolization and radiosurgery for AVMs. Letter, 320
_____. *See* Black KL, 603
GOMORI JM. *See* Siegal T, 22
GOODKIN R. *See* Stelzer KJ, 168
GRABB PA, ALBRIGHT AL, SCLABASSI RJ, POLLACK IF. Continuous intraoperative electromyographic monitoring of cranial nerves during resection of fourth ventricular tumors in children, 1
GRANE P. *See* Mathiesen T, 5
GRANT GA. *See* Jünger EC, 425
GRANT JA. *See* de León GA, 738
GREEN BA. *See* Lee TT, 64, 624
GRINNELL V. *See* Morgan MK, 801
GROSS CE. *See* Bednar MM, 139
GROUS J. *See* Black KL, 603
GRUBB RL. *See* Ojemann JG, 1022
GUERIN J. *See* Darrouzet V, 812
GUMPRECHT JP. *See* Morgello S, 883
GUO WY. *See* Kihlström L, 589

HAASS A. *See* Treib K, 574
HADDAD G. *See* Eisenberg MB, 822
HAGGETT CE. *See* Bowsher D, 190
_____. *See* Miles JB, 193
HAGUE K. *See* Arginteanu MS, 1046
HAIDA T. *See* Merchant TE, 943
HAKUBA A. *See* Nishikawa M, 40
HALEY EC JR., KASSELL NF, APPERSON-HANSEN C, MAILE MH, ALVES WM. A randomized, double-blind, vehicle-controlled trial of tirilazad mesylate in patients with aneurysmal subarachnoid hemorrhage: a cooperative study in North America, 467
HAMLYN PJ. *See* Bavetta S, 927
HARADA N. *See* Taoka Y, 1007
HARDENACK M. *See* Schmieder K, 733
HARDERS A, KAKARIEKA A, BRAAKMAN R. Traumatic subarachnoid hemorrhage. Letter, 317
_____. *See* Schmieder K, 733
HARKNESS WFJ. *See* David KM, 13
HARRISON MJ. Atrial placement of ventriculoatrial shunts. Letter, 577
HASHI K. *See* Yamaki T, 898
HASHIMOTO N. *See* Iwama T, 806
HASUO K. *See* Yoshimoto K, 734
HATTON J, RAPP RP, KUDSK KA, BROWN RO, LUER MS, BUKAR JG, CHEN SA, MCCLAIN CJ, GESUNDHEIT N, DEMPSEY RJ, YOUNG B. Intravenous insulin-like growth factor-I (IGF-I) in moderate-to-severe head injury: a Phase II safety and efficacy trial, 779
HATTORI T. *See* Tashiro Y, 263
HAYASHIDA K. *See* Iwama T, 806
HAYWARD RD. *See* David KM, 13
HEDLEY-WHYTE ET. *See* Hsu DW, 113
HEIFETZ MD. Split dura for revascularization. Letter, 575
HEISERMAN JE. *See* Lawton MT, 279
HELM GA, SHEEHAN JM, SHEEHAN JP, JANE JA JR., DIPIERRO CG, SIMMONS NE, GILLIES GT, KALLMES DF, SWEENEY TM. Utilization of type I collagen gel, demineralized bone matrix, and bone morphogenetic protein-2 to enhance autologous bone lumbar spinal fusion, 93
HERMAN D. *See* Kelly DF, 633
HETH JA, LOFTUS CM, PIPER JG, YUH W. Hypoplastic internal carotid artery mimicking a classic angiographic "string sign." Case report, 567
HEVNER RF. *See* Chang SD, 699
HEWITT E. *See* Nauta HJW, 538
HOFF JT. *See* Colon GP, 575
_____. *See* Lee KR, 272
HOH CK. *See* Black KL, 603
HÖJEBERG B. *See* Holmin S, 493
HOLDER CA, BELL DA, LUNDELL AL, ULMER JL, GLAZIER SS. Isolated straight sinus and deep cerebral venous thrombosis: successful treatment with local infusion of urokinase. Case report, 704
HOLMIN S, SCHALLING M, HÖJEBERG B, NORDQVIST ACS, SKEFTRUNA AK, MATHIESEN T. Delayed cytokine expression in rat brain following experimental contusion, 493
HOLZSCHUH M. *See* Metz C, 912
HORNER TG. *See* Leipzig TJ, 220
HOSODA K. *See* Kawaguchi T, 1031
HOUKIN K. *See* Ishikawa T, 291
HOVDA DA. *See* Bergsneider M, 241

_____. *See* Kelly DF, 633, 876
HSIANG JNK. *See* Lam JMK, 438
HSU DW, EFIRD JT, HEDLEY-WHYTE ET. Progesterone and estrogen receptors in meningiomas: prognostic considerations, 113
HUANG SC. *See* Black KL, 603
HUSAIN MM. *See* Arnautović KI, 252
HUSSON B. *See* Cinalli G, 553

IKADA Y. *See* Yamada K, 871, 1012
IKEDA T. *See* Yamaki T, 898
INADA K. *See* Suzuki M, 741
INOUE Y. *See* Nishikawa M, 40
INSAUSTI J. *See* Lopez-Lozano JJ, 931
ISHIKAWA M, OHIRA T, NAMIKI J, KOBAYASHI M, TAKASE M, KAWASE T, TOYA S. Electrophysiological investigation of hemifacial spasm after microvascular decompression: F waves of the facial muscles, blink reflexes, and abnormal muscle responses, 654
ISHIKAWA T, HOUKIN K, TOKUDA K, KAWAGUCHI S, KASHIWABA T. Development of anterior cranial fossa dural arteriovenous malformation following head trauma. Case report, 291
IWAKURA M. *See* Kawaguchi T, 1031
IWAMA T, HASHIMOTO N, TAKAGI Y, TANAKA M, YAMAMOTO S, NISHI S, HAYASHIDA K. Hemodynamic and metabolic disturbances in patients with intracranial dural arteriovenous fistulas: positron emission tomography evaluation before and after treatment, 806
IWATA H. *See* Yamada K, 1012

JACOB RP. *See* Dietze DD Jr., 981
JAECKLE K. *See* Eng DY, 547
JAKACKI R. *See* Packer RJ, 747
JANE JA JR. *See* Helm GA, 93
JENKINS JD. *See* Coric D, 969
JENKINS RB. *See* Cunningham JM, 121
JENSEN JN. *See* Nath RK, 866
JHO HD. Decompression via microsurgical anterior foraminotomy for cervical spondylotic myelopathy. Technical note, 297
JOHNO M. *See* Taoka Y, 1007
JONES EG. *See* Macchi G, 670
JONES NR. *See* Stoodley MA, 686
JÜNGER EC, NEWELL DW, GRANT GA, AVELLINO AM, GHATAN S, DOUVILLE CM, LAM AM, AASLID R, WINN HR. Cerebral autoregulation following minor head injury, 425
JUNGREIS CA. *See* Firlik AD, 830

KADER A, MICHELSEN WJ. Recurrent AVMs after negative angiography. Letter, 171
KAKARIEKA A. *See* Harders A, 317
KALLMES DF. *See* Helm GA, 93
KAMIRYO T, LAWS ER JR. A burr hole button to secure the electrode cable in depth electrode placement. Technical note, 905
KANEV PM, FOLEY CM, MILES D. Ultrasound-tailored functional hemispherectomy for surgical control of seizures in children, 762
KANNO A. *See* Nakasato N, 610
KAO MC. Hyperhidrosis. Letter, 738
KARASAWA H, FURUYA H, NAITO H, SUGIYAMA K, UENO J, KIN H. Acute hydrocephalus in posterior fossa injury, 629
KARLSSON B. *See* Kihlström L, 589
KASHIWABA T. *See* Ishikawa T, 291
KASHIWAGI S. Split dura for revascularization. Letter, 575
KASOFF SS. *See* Babu RP, 888
KASSELL NF. *See* Haley EC Jr., 467
_____. *See* Suzuki S, 741

KAUFMAN BA, MORAN CJ, SCHLESINGER J. Fluoroscopy of programmable cerebrospinal fluid shunt valve settings. Technical illustration, 735
_____. *See* Chicoine MR, 34
_____. *See* Ojemann JG, 28
KAUFMANN AM. *See* Firlik AD, 830
KAWAGUCHI S. *See* Ishikawa T, 291
KAWAGUCHI T, FUJITA S, HOSODA K, SHIBATA Y, IWAKURA M, TAMAKI N. Rotational occlusion of the vertebral artery caused by transverse process hyperrotation and unilateral apophyseal joint subluxation. Case report, 1031
KAWAI N. *See* Lee KR, 272
KAWASE T. *See* Ishikawa M, 654
KAZUKI S, OHTA T, OGAWA R, TSUJI M, TAMURA Y, YOSHIZAKI Y, TAKASE T. Effects of intraluminal or extraluminal endothelin on perfused rabbit basilar arteries, 859
KEDARIA MB, MENOVSKY T. Heat shock protein. Letter, 172
KELLY DF, LEE SM, PINANONG PA, HOVDA DA. Paradoxical effects of acute ethanolism in experimental brain injury, 876
_____, MARTIN NA, KORDESTANI R, COUNELIS G, HOVDA DA, BERGSNEIDER M, SHALMON E, MCBRIDE DQ, HERMAN D, BECKER DP. Cerebral blood flow as a predictor of outcome following traumatic brain injury, 633
_____. *See* Bergsneider M, 241
KEPES JJ. *See* Reifenberger G, 740
KÉRAVEL Y. *See* Decq P, 648
KHANNA RK, PHAM CJ, MALIK GM, SPICKLER EM, MEHTA B, ROSENBLUM ML. Bilateral superior ophthalmic vein enlargement associated with diffuse cerebral swelling. Report of 11 cases, 893
KIESEWETTER F. *See* Schrell UMH, 840, 845
KIHLSTRÖM L, GUO WY, KARLSSON B, LINDQUIST C, LINDQVIST M. Magnetic resonance imaging of obliterated arteriovenous malformations up to 23 years after radiosurgery, 589
KIKUCHI H. *See* Yamada K, 871, 1012
KIM DG. Central neurocytoma. Letter, 322
KIM S. *See* Lee KR, 272
KIMMEL DW. *See* Cunningham JM, 121
KIN H. *See* Karasawa H, 629
KIRKPATRICK P. *See* Smielewski P, 773
KISS R. *See* Decaestecker C, 532
KLEKAMP J, BATZDORF U, SAMII M, BOTHE HW. Treatment of syringomyelia associated with arachnoid scarring caused by arachnoiditis or trauma, 233
KOBAYASHI M. *See* Ishikawa M, 654
KOCH UH. *See* Schrell UMH, 840, 845
KOIKE T. *See* Fujii Y, 594
_____. *See* Tamatani S, 109
KOMANETSKY R. *See* Ojemann JG, 28
KONDO A. *See* Matsuura N, 172
KONDZIOLKA D. *See* Comey CH, 154
_____. *See* Pollock BE, 319
KONIG A. Postoperative hemorrhage. Letter, 916
KONISHI T. *See* Tokime T, 907
KORDESTANI R. *See* Kelly DF, 633
KORMANIK P. *See* Chamberlain MC, 576
KOTSIANTI A. *See* Morgello S, 883
KOYANAGI I. *See* Tator CH, 483
KRAUS JA. *See* Stangl AP, 853
KRAUS JF. *See* Bergsneider M, 241
KRETH FW, SCHÄTZ CR, FAIST M, OSTERTAG CB. Tumors of the insula. Letter, 910
_____. *See* Warnke PC, 166
KRISHT AF. *See* Arnautović KI, 252
KRISTOF RA, VAN ROOST D, WOLF HK, SCHRAMM J. Intravascular papillary endothelial hyperplasia of the sellar region. Report of three cases and review of the literature, 558
KU A. *See* Levy DI, 724
KUBAL WS. *See* Watson JC, 159
KUDSK KA. *See* Hatton J, 779
KUMABE T. *See* Nakasato N, 610
KUMAR K, TOTH C, NATH RK, VERMA AK, BURGESS JJ. Improvement of limb circulation in peripheral vascular disease using epidural spinal cord stimulation: a prospective study, 662

Index

KUPERSMITH MJ. *See* Arginteanu MS, 1046
KURCZYNSKI E. *See* Packer RJ, 747
KYRIAKOS M. *See* Ojemann JG, 1022

LABINER DM. *See* Weinand ME, 226
LAGIER R. *See* Fransen P, 1027
LAM AM, COPLIN WM. Pentobarbital and venous oxygenation. Letter, 1070
_____. *See* Jünger EC, 425
LAM JMK, HSIANG JNK, POON WS. Monitoring of autoregulation using laser Doppler flowmetry in patients with head injury, 438
LANSEN TA. *See* Babu RP, 888
LASNER TM, SUTTON LN, RORKE LB. Multifocal noninfectious granulomatous encephalitis in a child. Case report, 1042
LAWS ER JR. *See* Kamiryo T, 905
LAWTON MT, HEISERMAN JE, COONS SW, RAGSDALE BD, SPETZLER RF. Juvenile active ossifying fibroma. Report of four cases, 279
_____. *See* Apostolides PJ, 318
LE ROUX PD, WINN HR. White blood cell count and mortality. Letter, 1069
LEBLANC R, ZATORRE R. Functional magnetic resonance imaging. Letter, 316
LEE KR, KAWAI N, KIM S, SAGHER O, HOFF JT. Mechanisms of edema formation after intracerebral hemorrhage: effects of thrombin on cerebral blood flow, blood-brain barrier permeability, and cell survival in a rat model, 272
LEE KS. *See* Suzuki S, 741
LEE SM. *See* Kelly DF, 876
LEE TT, ARIAS JM, ANDRUS HL, QUENCER RM, FALCONE SF, GREEN BA. Progressive posttraumatic myelomalacic myelopathy: treatment with untethering and expansive duraplasty, 624
_____, MANZANO GR, GREEN BA. Modified open-door cervical expansive laminoplasty for spondylotic myelopathy: operative technique, outcome, and predictors for gait improvement, 64
LEIBEL SA. *See* Merchant TE, 943
LEIPZIG TJ, REDELMAN K, HORNER TG. Reducing the risk of rebleeding before early aneurysm surgery: a possible role for antifibrinolytic therapy, 220
LELLOUCH-TUBIANA A. *See* Cinalli G, 553
LENARTZ D. *See* Stangl AP, 853
LESOURD S. *See* Catala M, 914
L'ESPÉRANCE G. *See* Raymond J, 211
LEVI ADO, DICKMAN CA, SONNTAG VKH. Management of postoperative infections after spinal instrumentation, 975
LEVIVIER M. *See* Pirotte B, 917
LEVY DI, KU A. Balloon-assisted coil placement in wide-necked aneurysms. Technical note, 724
LINDGREN L. *See* Mathiesen T, 5
LINDQUIST C. *See* Kihlström L, 589
_____. *See* Mathiesen T, 5
_____. *See* Riva D, 207
LINDQVIST M. *See* Kihlström L, 589
LOFTUS CM. *See* Heth JA, 567
LOPÉZ BC, DAVID KM, CROCKARD HA. Inadequate *PAX-1* gene expression as a cause of agenesis of the thoracolumbar spine with failure of segmentation. Case report, 1018
LÓPEZ-LOZANO JJ, BRAVO G, BRERA B, MILLÁN I, DARGALLO J, SALMEÁN J, URÍA J, INSAUSTI J. Long-term improvement in patients with severe Parkinson's disease after implantation of fetal ventral mesencephalic tissue into a cavity of caudate nucleus: 5-year follow up in 10 patients, 931
LOZANO A. *See* Macdonald RL, 990
LUER MS. *See* Hatton J, 779
LUERSSEN TG. *See* Wolfla CE, 505
LUNDELL AL. *See* Holder CA, 704
LUNSFORD LD. *See* Pollock BE, 319

MACCHI G, JONES EG. Toward an agreement on terminology of nuclear and subnuclear divisions of the motor thalamus, 670
MACDONALD RL, FEHLINGS MG, TATOR CH, LOZANO A, FLEMING JR, GENTILI F, BERNSTEIN M, WALLACE MC, TASKER RR. Multilevel anterior cervical corpectomy and fibular allograft fusion for cervical myelopathy, 990
MACKINNON SE. *See* Nath RK, 866
MADAWI AA, CASEY ATH, SOLANKI GA, TUITE G, VERES R, CROCKARD HA. Radiological and anatomical evaluation of the atlantoaxial transarticular screw fixation technique, 961
MAILE MH. *See* Haley EC Jr., 467
MALIK GM. *See* Khanna RK, 893
MALIS LI. Transpetrosal approach and sinus division. Letter, 1072
MANZANO GR. *See* Lee TT, 64
MARCHAC D. *See* Chumas PD, 177
MARINIELLO G. *See* Cappabianca P, 171
MARSCHALEK R. *See* Schrell UMH, 840, 845
MARTIN NA. *See* Bergsneider M, 241
_____. *See* Kelly DF, 633
MARTÍNEZ-PÉREZ I, MORENO A, ALONSO J, AGUAS J, CONESA G, CAPDEVILA A, ARÚS C. Diagnosis of brain abscess by magnetic resonance spectroscopy. Report of two cases, 708
MATHIESEN T, GRANE P, LINDGREN L, LINDQUIST C. Third ventricle colloid cysts: a consecutive 12-year series, 5
_____. *See* Holmin S, 493
MATSUMOTO K. *See* Tada E, 1067
MATSUTANI M, SANO K, TAKAKURA K, FUJIMAKI T, NAKAMURA O, FUNATA N, SETO T. Primary intracranial germ cell tumors: a clinical analysis of 153 histologically verified cases, 446
MATSUURA N, KONDO A. Trigeminal neuralgia and contralateral mass. Letter, 172
MATSUYAMA T, MORIMOTO T, SAKAKI T. Comparison of C1–2 posterior fusion and decompression of the vertebral artery in the treatment of bow hunter's stroke, 619
_____, SHIMOMURA T, OKUMURA Y, SAKAKI T. Mobilization of the internal carotid artery for basilar artery aneurysm surgery. Technical note, 294
MATTHIES C, SAMII M. Direct brainstem recording of auditory evoked potentials during vestibular schwannoma resection: nuclear BAEP recording. Technical note and preliminary results, 1057
_____. *See* Carvalho GA, 69
MATZ PG, SHARP FR. Heat shock protein. Letter, 172
MAVES TJ. *See* Sawin PD, 998
MAWAD M. *See* Viñuela F, 475
MCARTHUR DL. *See* Bergsneider M, 241
MCBRIDE DQ. *See* Kelly DF, 633
MCBRIDE WJ. *See* Chappell JE, 131
MCCLAIN CJ. *See* Hatton J, 779
MCCLUGGAGE CW. *See* Dauser RC, 719
MCCULLOCH JA. Minimalist versus maximalist approach to the degenerative spine. Letter, 1069
MCCUTCHEON I. Leptomeningeal metastasis. Letter, 576
MCINTOSH TK. *See* Sinson G, 511
MCLAUGHLIN MR. *See* Resnick DK, 151
MCMAHON JT. *See* Prayson RA, 1049
MEHTA B. *See* Khanna RK, 893
MELLO LR, FELTRIN LT, NETO PTF, FERRAZ FAP. Duraplasty with biosynthetic cellulose: an experimental study, 143
MENEZES AH. *See* Sawin PD, 950
MENON AG. *See* Stangl AP, 853
MENOVSKY T. *See* Kedaria MB, 172
MENZEL M. *See* Rieger A, 577
MERCHANT TE, HAIDA T, WANG MH, FINLAY J, LEIBEL SA. Anaplastic ependymoma: treatment of pediatric patients with or without craniospinal radiation therapy, 943
METZ C, HOLZSCHUH M. Hypothermia and brain injury. Letter, 912
MEYER B. *See* Zentner J, 910
MEYER FB. *See* Schievink WI, 165
MICHELSEN WJ. *See* Kader A, 171
_____. *See* Onesti ST, 572
MILES D. *See* Kanev PM, 762
MILES JB, ELDRIDGE PR, HAGGETT CE, BOWSHER D. Sensory effects of microvascular decompression in trigeminal neuralgia, 193

_____. *See* Bowsher D, 190
MILLAN I. *See* Lopez-Lozano JJ, 931
MILLER AM. *See* Onesti ST, 572
MINAKAWA T. *See* Fujii Y, 594
_____. *See* Tamatani S, 109
MIYAMOTO S. *See* Yamada K, 871, 1012
MIZOI K. *See* Nakasato N, 610
MOKRI B. *See* Schievink WI, 165
MOLES AF, POMSZTEIN M, GARDELLA JL, FRUGONI RR. Atrial placement of ventriculoatrial shunts. Letter, 577
MOONEY JF III, GLAZIER SS. Tumoral calcinosis of the cervical spine in an infant. Case illustration, 162
MOORE F. *See* Morgello S, 883
MOORE SA. *See* Sawin PD, 998
MORAN CJ. *See* Kaufman BA, 735
MORENO A. *See* Martínez-Pérez I, 708
MORGAN MK, DRUMMOND KJ, GRINNELL V, SORBY W. Surgery for cerebral arteriovenous malformation: risks related to lenticulostriate arterial supply, 801
_____. *See* Sekhon LHS, 519
MORGELLO S, KOTSIANTI A, GUMPRECHT JP, MOORE F. Epstein-Barr virus-associated dural leiomyosarcoma in a man infected with human immunodeficiency virus. Case report, 883
MORI T. *See* Yoshimoto Y, 694
MORIMOTO T. *See* Matsuyama T, 619
MORRISS C. *See* Arle JE, 755
MOULTON RJ. *See* Zwimpfer TJ, 433
MOUMDJIAN R. *See* Raymond J, 211
MUNZ M. *See* Taub E, 197
MURAKAMI K. *See* Taoka Y, 1007
MURAYAMA Y. *See* Viñuela F, 914

NAGAI N. *See* Takahashi H, 768
NAGATA I. *See* Yamada K, 871, 1012
NAITO H. *See* Karasawa H, 629
NAKAGAWA M. *See* Tada E, 1067
NAKAMURA O. *See* Matsutani M, 446
NAKANISHI N. *See* Nishikawa M, 40
NAKASATO N, KUMABE T, KANNO A, OHTOMO S, MIZOI K, YOSHIMOTO T. Neuromagnetic evaluation of cortical auditory function in patients with temporal lobe tumors, 610
NAMIKI J. *See* Ishikawa M, 654
NARUO M. *See* Taoka Y, 1007
NATH RK, MACKINNON SE, JENSEN JN, PARKS WC. Spatial pattern of type I collagen expression in injured peripheral nerve, 866
_____. *See* Kumar K, 662
NAUTA HJW, HEWITT E, WESTLUND KN, WILLIS WD. Surgical interruption of a midline dorsal column visceral pain pathway. Case report and review of the literature, 538
NEDZELSKI JM. *See* Rowed DW, 456
NEEDLE M. *See* Packer RJ, 747
NELSON G. *See* Black KL, 603
NETO PTF. *See* Mello LR, 143
NEWELL DW. *See* Jünger EC, 425
NICHOLSON HS. *See* Packer RJ, 747
NIKKHAH G. *See* Carvalho GA, 69
NISHI S. *See* Iwama T, 806
NISHIKAWA M, SAKAMOTO H, HAKUBA A, NAKANISHI N, INOUE Y. Pathogenesis of Chiari malformation: a morphometric study of the posterior cranial fossa, 40
NISHIO S. *See* Yoshimoto K, 734
NORDQVIST ACS. *See* Holmin S, 493
NORRIS JS. *See* Bavetta S, 927
NOVOTNY PJ. *See* Cunningham JM, 121

O'FALLON JR. *See* Cunningham JM, 121
OGAWA A. *See* Suzuki M, 741
OGAWA R. *See* Kazuki S, 859
OHIRA T. *See* Ishikawa M, 654
OHMOTO T. *See* Tada E, 1067
OHTA T. *See* Kazuki S, 859
OHTAKI M. *See* Yamaki T, 898
OHTOMO S. *See* Nakasato N, 610
OJEMANN JG, GRUBB RL, KYRIAKOS M, BAKER KB. Calcium carbonate apatite deposition in the cervical spine with associated vertebral destruction. Case report, 1022
_____, PARK TS, KOMANETSKY R, DAY RAA, KAUFMAN BA. Lack of specificity in electrophysiological identification of lower sacral roots during selective dorsal rhizotomy, 28
OKABE H. *See* Taoka Y, 1007
OKAJIMA K. *See* Taoka Y, 1007
OKAMOTO S. *See* Tokime T, 907
OKUHARA Y. *See* Tani T, 303
OKUMURA Y. *See* Matsuyama T, 294
OLDING M. *See* O'Malley S, 286
O'MALLEY S, WEITMAN D, OLDING M, SEKHAR L. Multiple neoplasms following craniospinal irradiation for medulloblastoma in a patient with nevoid basal cell carcinoma syndrome. Case report, 286
ONESTI ST, ASHKENAZI E, MILLER AM, MICHELSEN WJ. Resolution of acquired tonsillar herniation after resection of supratentorial meningioma. Case illustration, 572
OOMMEN KJ. *See* Weinand ME, 226
ORDIA J, FISCHER E, ADAMSKI E, SPATZ E. Intrathecal baclofen. Letter, 918
OSTERTAG CB. *See* Kreth FW, 910
OSTERTAG FW. *See* Warnke PC, 166
OTT K. Surgery or radiosurgery? Letter, 165
OTTEN P. *See* Fransen P, 1027
OZAWA T. *See* Tamatani S, 109

PACKER RJ, ATER J, ALLEN J, PHILLIPS P, GEYER R, NICHOLSON HS, JAKACKI R, KURCZYNSKI E, NEEDLE M, FINLAY J, REAMAN G, BOYETT JM. Carboplatin and vincristine chemotherapy for children with newly diagnosed progressive low-grade gliomas, 747
PAIT TG. *See* Arnautović KI, 252
PALMA L, CELLI P, FRANCO C, CERVONI L, CANTORE G. Long-term prognosis for atypical and malignant meningiomas: a study of 71 surgical cases, 793
PANTALEONI C. *See* Riva D, 207
PARK TS. Amygdalohippocampectomy. Letter, 1076
_____. *See* Chicoine MR, 34
_____. *See* Ojemann JG, 28
PARKINSON D. The suboccipital cavernous sinus. Letter, 315
_____. White blood cell count and mortality. Letter, 1069
PARKS WC. *See* Nath RK, 866
PASTEELS JL. *See* Decaestecker C, 532
PATIL A. Recurrent AVMs after negative angiography. Letter, 170
PENKERT GT. *See* Carvalho GA, 69
PERRI BR. *See* Sinson G, 511
PETROCELLI S. *See* Cohen JE, 312
PHAM CJ. *See* Khanna RK, 893
PHELPS M. *See* Black KL, 603
PHELPS ME. *See* Bergsneider M, 241
PHILIPS MF, SCHWARTZ SB, SOUTTER AD, SUTTON LN. Ventriculofemoroatrial shunt: a viable alternative for the treatment of hydrocephalus. Technical note, 1063
PHILLIPS P. *See* Packer RJ, 747
PHILLIPS PG. *See* Arle JE, 755
PHIPPS K. *See* David KM, 13
PICKARD JD. *See* Smielewski P, 773
PIEK J. Traumatic subarachnoid hemorrhage. Letter, 317
PIERRE-KAHN A. *See* Cinalli G, 553, 571
PINANONG PA. *See* Kelly DF, 876
PIPER JG. *See* Heth JA, 567
PIROTTE B, LEVIVIER M, BROTCHI J. Intrathecal baclofen. Letter, 917
PIZZOLATO GP. *See* Fransen P, 1027
POLLACK IF. *See* Grabb PA, 1

Index

POLLOCK BE, LUNSFORD LD, KONDZIOLKA D, FLICKINGER JC. Embolization and radiosurgery for AVMs. Letter, 319
POMSZTEIN M. *See* Moles AF, 577
POON WS. *See* Lam JMK, 438
POST KD. *See* Arginteanu MS, 1046
PRAYSON RA, MCMAHON JT, BARNETT GH. Solitary fibrous tumor of the meninges. Case report and review of the literature, 1049
PRICE RF. Postoperative hemorrhage. Letter, 917

QUENCER RM. *See* Lee TT, 624

RAGSDALE BD. *See* Lawton MT, 279
RAINOV NG. *See* Rieger A, 577
RAPP RP. *See* Hatton J, 779
RAPPORT RL. Amygdalohippocampectomy. Letter, 1072
RATCHESON RA. *See* Taylor CL, 583
RAYMOND J, ROY D, BOJANOWSKI M, MOUMDJIAN R, L'ESPÉRANCE G. Endovascular treatment of acutely ruptured and unruptured aneurysms of the basilar bifurcation, 211
REAMAN G. *See* Packer RJ, 747
REDELMAN K. *See* Leipzig TJ, 220
REIFENBERGER G, BOSTRÖM J, BETTAG M, BOCK WJ, WECHSLER W, KEPES JJ. Peripheral nerve or brainstem glioblastoma. Letter, 740
RENIER D. *See* Chumas PD, 177
_____. *See* Cinalli G, 571
RESNICK DK, MCLAUGHLIN MR, ALBRIGHT AL. Primary endodermal sinus tumor presenting with spinal cord compression. Case report, 151
REUL J. *See* Spetzger U, 916
REVERDIN A. *See* Fransen P, 1027
RHOTEN RLP, COMAIR YG, SHEDID D, CHYATTE D, SIMONSON MS. Specific repression of the *preproendothelin-1* gene in intracranial arteriovenous malformations, 101
RICH G. *See* Sawin PD, 998
RIEGER A, RAINOV NG, SANCHIN L, MENZEL M, SOUKUP J, BURKERT W. Atrial placement of ventriculoatrial shunts. Letter, 577
RIFKINSON-MANN S. Book review, 736
RIMM AA. *See* Taylor CL, 583
RITTIG MG. *See* Schrell UMH, 840, 845
RIVA D, PANTALEONI C, DEVOTI M, LINDQUIST C, STEINER L, GIORGI C. Radiosurgery for cerebral AVMs in children and adolescents: the neurobehavioral outcome, 207
RORKE LB. *See* Lasner TM, 1042
ROSARIO M. *See* Chang SD, 699
ROSENBLUM ML. *See* Khanna RK, 893
ROWED DW, NEDZELSKI JM. Hearing preservation in the removal of intracanalicular acoustic neuromas via the retrosigmoid approach, 456
ROY D. *See* Raymond J, 211
RUBINSTEIN R. *See* Siegal T, 22
RUGE JR. Agenesis of the corpus callosum. Letter, 914
RUSHTON H. Book review, 573
RUSSELL SR. *See* Bednar MM, 139
RYU H, YAMAMOTO S, SUGIYAMA K, UEMURA K. Selective cochlear neurotomy in the cerebellopontine cistern using electrophysiological monitoring in a patient with intractable tinnitus. Case report, 1053

SAGHER O. *See* Lee KR, 272
SAKAKI T. *See* Matsuyama T, 294, 619
SAKAMOTO H. *See* Nishikawa M, 40
SAKAMOTO Y. *See* Yamaki T, 898
SALMEAN J. *See* Lopez-Lozano JJ, 931
SALMON I. *See* Decaestecker C, 532
SAMII M. *See* Carvalho GA, 69
_____. *See* Klekamp J, 233
_____. *See* Matthies C, 1057
SANCHIN L. *See* Rieger A, 577
SANO K. *See* Matsutani M, 446
SARAOUI A. *See* Decq P, 648
SASAKI O. *See* Fujii Y, 594
SAWAMURA Y, ABE H. Hypoglossal-facial nerve side-to-end anastomosis for preservation of hypoglossal function: results of delayed treatment with a new technique, 203
SAWAYA R. Surgery or radiosurgery? Letter, 169
SAWIN PD, MENEZES AH. Basilar invagination in osteogenesis imperfecta and related osteochondrodysplasias: medical and surgical management, 950
_____, TRAYNELIS VC, RICH G, SMITH BA, MAVES TJ, FOLLETT KA, MOORE SA. Chymopapain-induced reduction of proinflammatory phospholipase A_2 activity and amelioration of neuropathic behavioral changes in an *in vivo* model of acute sciatica, 998
SCHAEFFER J. *See* Arginteanu MS, 1046
SCHALLING M. *See* Holmin S, 493
SCHÄTZ CR. *See* Kreth FW, 910
SCHEITHAUER BW. *See* Cunningham JM, 121
SCHESSEL DA. *See* Sekhar LN, 1036
SCHIEVINK WI, ATKINSON JLD, MEYER FB, MOKRI B. Intracranial hypotension. Letter, 165
SCHLESINGER J. *See* Kaufman BA, 735
SCHMIEDER K, HARDENACK M, HARDERS A. Proximal long fenestration associated with an internal carotid artery aneurysm. Case illustration, 733
SCHNEE CL, ANSELL LV. Selection criteria and outcome of operative approaches for thoracolumbar burst fractures with and without neurological deficit, 48
_____, FREESE A, ANSELL LV. Outcome analysis for adults with spondylolisthesis treated with posterolateral fusion and transpedicular screw fixation, 56
SCHRAMM J. *See* Kristof RA, 558
_____. *See* Stangl AP, 853
_____. *See* Zentner J, 910
SCHRELL UMH, RITTIG MG, ANDERS M, KIESEWETTER F, MARSCHALEK R, KOCH UH, FAHLBUSCH R. Hydroxyurea for treatment of unresectable and recurrent meningiomas. I. Inhibition of primary human meningioma cells in culture and in meningioma transplants by induction of the apoptotic pathway, 845
_____, _____, _____, KOCH UH, MARSCHALEK R. KIESEWETTER F, FAHLSBUSCH R. Hydroxyurea for treatment of unresectable and recurrent meningiomas. II. Decrease in the size of meningiomas in patients treated with hydroxyurea, 840
SCHWARTZ ML. *See* Cohen JE, 312
SCHWARTZ SB. *See* Philips MF, 1063
SCHWEITZER JB, DAVIES KG. Differentiating central neurocytoma. Case report, 543
SCLABASSI RJ. *See* Grabb PA, 1
SEIFERT V. Transpetrosal approach and sinus division. Letter, 1073
SEKHAR LN, TZORTZIDIS FN, BEJJANI GK, SCHESSEL DA. Saphenous vein graft bypass of the sigmoid sinus and jugular bulb during the removal of glomus jugulare tumors. Report of two cases, 1036
_____. *See* Bejjani GK, 728
_____. *See* O'Malley S, 286
SEKHON LHS, MORGAN MK, SPENCE I. Normal perfusion pressure breakthrough: the role of capillaries, 519
SELMAN WR. *See* Taylor CL, 583
SEN C. *See* Brisman MH, 787
SETO T. *See* Matsutani M, 446
SHACKFORD SR. *See* Chappell JE, 131
SHAIU JH. *See* Arginteanu MS, 1046
SHALMON E. *See* Bergsneider M, 241
_____. *See* Kelly DF, 633
SHARP FR. *See* Matz PG, 172
SHEDID D. *See* Rhoten RLP, 101
SHEEHAN JM. *See* Helm GA, 93
SHEEHAN JP. *See* Helm GA, 93
SHIBATA Y. *See* Kawaguchi T, 1031
SHIMOMURA T. *See* Matsuyama T, 294

SHORT D. *See* Bednar MM, 139
SIEGAL T, RUBINSTEIN R, TZUK-SHINA T, GOMORI JM. Utility of relative cerebral blood volume mapping derived from perfusion magnetic resonance imaging in the routine follow up of brain tumors, 22
SILBERGELD DL, CHICOINE MR. Isolation and characterization of human malignant glioma cells from histologically normal brain, 525
SILVERBERG GA. *See* Toczek MT, 917
SIMMONS NE. *See* Helm GA, 93
SIMONSON MS. *See* Rhoten RLP, 101
SINSON G, PERRI BR, TROJANOWSKI JQ, FLAMM ES, MCINTOSH TK. Improvement of cognitive deficits and decreased cholinergic neuronal cell loss and apoptotic cell death following neurotrophin infusion after experimental traumatic brain injury, 511
SIOUTOS PJ. *See* Weinand ME, 226
SKEFTRUNA AK. *See* Holmin S, 493
SLAVIN KV, AUSMAN JI. Book review, 163
SMIELEWSKI P, CZOSNYKA M, KIRKPATRICK P, PICKARD JD. Evaluation of the transient hyperemic response test in head-injured patients, 773
SMITH BA. *See* Sawin PD, 998
SMITH KA. *See* Apostolides PJ, 318
SMITH MM. *See* Watson JC, 159
SOLANKI GA. *See* Madawi AA, 961
SONNTAG VKH. *See* Levi ADO, 975
_____. *See* Westmark RM, 289
SORBY W. *See* Morgan MK, 801
SOUKUP J. *See* Rieger A, 577
SOUTTER AD. *See* Philips MF, 1063
SPATZ E. *See* Ordia J, 918
SPENCE I. *See* Sekhon LHS, 519
SPETZGER U, REUL J. Experimental aneurysms. Letter, 916
SPETZLER RF. *See* Apostolides PJ, 318
_____. *See* Lawton MT, 279
SPICKLER EM. *See* Khanna RK, 893
STANGL AP, WELLENREUTHER R, LENARTZ D, KRAUS JA, MENON AG, SCHRAMM J, WIESTLER OD, VON DEIMLING A. Clonality of multiple meningiomas, 853
_____. *See* Zentner J, 910
STEINBERG GK. *See* Chang SD, 699
STEINER L. *See* Riva D, 207
STELZER KJ, GOODKIN R, WINN HR. Surgery or radiosurgery? Letter, 168
STOODLEY MA, BROWN SA, BROWN CJ, JONES NR. Arterial pulsation-dependent perivascular cerebrospinal fluid flow into the central canal in the sheep spinal cord, 686
SUGIYAMA K. *See* Karasawa H, 629
_____. *See* Ryu H, 1053
SULLIVAN I. *See* Zwimpfer TJ, 433
SUTCLIFFE JC. *See* Bavetta S, 927
SUTTON LN. *See* Arle JE, 755
_____. *See* Lasner TM, 1042
_____. *See* Philips MF, 1063
SUZUKI M, OGAWA A, ASAHARA H, ENDO S, INADA K. Nitric oxide and vasospasm. Letter, 741
SUZUKI S, KASSELL NF, LEE KS. Nitric oxide and vasospasm. Letter, 741
_____. *See* Yoshimoto K, 734
SWEENEY TM. *See* Helm GA, 93

TABATA Y. *See* Yamada K, 871
TADA E, MATSUMOTO K, NAKAGAWA M, TAMIYA T, FURUTA T, OHMOTO T. Serial magnetic resonance imaging of delayed cerebral radiation necrosis treated with dexamethasone. Case illustration, 1067
TAHA JM, FAVRE J, BAUMANN TK, BURCHIEL KJ. Tremor control after pallidotomy in patients with Parkinson's disease: correlation with microrecording findings, 642
TAKADA A. *See* Takahashi H, 768
TAKADA Y. *See* Takahashi H, 768
TAKAGI Y. *See* Iwama T, 806
TAKAHASHI H, URANO T, TAKADA Y, NAGAI N, TAKADA A. Fibrinolytic parameters as an admission prognostic marker of head injury in patients who talk and deteriorate, 768
TAKAKURA K. *See* Matsutani M, 446
TAKASE M. *See* Ishikawa M, 654
TAKASE T. *See* Kazuki S, 859
TAKATSUKI K. *See* Taoka Y, 1007
TAKEUCHI S. *See* Fujii Y, 594
_____. *See* Tamatani S, 109
TAMAKI N. *See* Kawaguchi T, 1031
TAMATANI S, OZAWA T, MINAKAWA T, TAKEUCHI S, KOIKE T, TANAKA R. Histological interaction of cultured endothelial cells and endovascular embolic materials coated with extracellular matrix. 109
TAMIYA T. *See* Tada E, 1071
TAMURA Y. *See* Kazuki S, 859
TANAKA M. *See* Iwama T, 806
TANAKA R. *See* Fujii Y, 594
_____. *See* Tamatani S, 109
TANI T, USHIDA T, YAMAMOTO H, OKUHARA Y. Waveform changes due to conduction block and their underlying mechanism in spinal somatosensory evoked potential: a computer simulation. Technical note, 303
TAOKA Y, OKAJIMA K, UCHIBA M, MURAKAMI K, HARADA N, JOHNO M, NARUO M, OKABE H, TAKATSUKI K. Reduction of spinal cord injury in rats by administration of iloprost, a stable prostacyclin analog, 1007
TASHIRO Y, CHAKRABORTTY S, DRAKE JM, HATTORI T. Progressive loss of glutamic acid decarboxylase, parvalbumin, and calbindin D28K immunoreactive neurons in the cerebral cortex and hippocampus of adult rat with experimental hydrocephalus, 263
TASKER RR. *See* Macdonald RL, 990
_____. *See* Taub E, 197
TATOR CH, KOYANAGI I. Vascular mechanisms in the pathophysiology of human spinal cord injury, 483
_____. *See* Macdonald RL, 990
TAUB E, MUNZ M, TASKER RR. Chronic electrical stimulation of the gasserian ganglion for the relief of pain in a series of 34 patients, 197
TAYLOR CL, YUAN Z, SELMAN WR, RATCHESON RA, RIMM AA. Mortality rates, hospital length of stay, the cost of treating subarachnoid hemorrhage in older patients: institutional and geographical differences, 583
TAYLOR R. *See* Thomson AM, 923
TESTALUTI MA. Book review, 313
THOMSON AM, TAYLOR R, FRASER D, WHITTLE IR. Stereotactic biopsy of nonpolar tumors in the dominant hemisphere: a prospective study of effects on language function, 923
TOCZEK MT, SILVERBERG GA. Postoperative hemorrhage. Letter, 917
TOKIME T, OKAMOTO S, YAMAGATA S, KONISHI T. Syringomyelia associated with a posterior fossa cyst. Illustration of two cases, 907
TOKUDA K. *See* Ishikawa T, 291
TOTH C. *See* Kumar K, 662
TOYA S. *See* Ishikawa M, 654
TRAYNELIS VC. *See* Sawin PD, 998
TREIB K, HAASS A. Hydroxyethyl starch. Letter, 574
TROJANOWSKI JQ. *See* Sinson G, 511
TSAI EC. *See* Cohen JE, 312
TSUJI M. *See* Kazuki S, 859
TUITE G. *See* Madawi AA, 961
TUITE GF. *See* Dauser RC, 719
TURGUT M, BENLI K, ERYILMAZ M. Secondary multiple intracranial hydatid cysts caused by intracerebral embolism of cardiac echinococcosis: an exceptional case of hydatidosis. Case report, 714
TZORTZIDIS FN. *See* Sekhar LN, 1036
TZUK-SHINA T. *See* Siegal T, 22

UCHIBA M. *See* Taoka Y, 1007
UEMURA K. *See* Ryu H, 1053

UENO J. *See* Karasawa H, 629
ULMER JL. *See* Holder CA, 704
URANO T. *See* Takahashi H, 768
URIA J. *See* Lopez-Lozano JJ, 931
USHIDA T. *See* Tani T, 303

VALE FL, BRADLEY EL, FISHER WS III. The relationship of subarachnoid hemorrhage and the need for postoperative shunting, 462
VAN HAM P. *See* Decaestecker C, 532
VAN ROOST D. *See* Kristof RA, 558
VERES R. *See* Madawi AA, 961
VERMA AK. *See* Kumar K, 662
VESPA PM. *See* Bergsneider M, 241
VINIKOFF L. *See* Cinalli G, 553, 571
VIÑUELA F, DUCKWILER G, MAWAD M. Guglielmi detachable coil embolization of acute intracranial aneurysm: perioperative anatomical and clinical outcome in 403 patients, 475
_____, MURAYAMA Y. Experimental aneurysms. Letter, 914
VON DEIMLING A. *See* Stangl AP, 853

WADE AM. *See* David KM, 13
WAKAI S. *See* Yoshimoto Y, 694
WALLACE MC. *See* Macdonald RL, 990
WANG MH. *See* Merchant TE, 943
WANG ZJ. *See* Arle JE, 755
WARNKE PC, KRETH FW, OSTERTAG FW. Surgery or radiosurgery? Letter, 166
WATSON JC, BROADDUS WC, SMITH MM, KUBAL WS. Hyperactive pectoralis reflex as an indicator of upper cervical spinal cord compression. Report of 15 cases, 159
WECHSLER W. *See* Reifenberger G, 740
WEINAND ME, CARTER LP, EL-SAADANY WF, SIOUTOS PJ, LABINER DM, OOMMEN KJ. Cerebral blood flow and temporal lobe epileptogenicity, 226
WEITMAN D. *See* O'Malley S, 286
WELLENREUTHER R. *See* Stangl AP, 853
WESTLUND KN. *See* Nauta HJW, 538
WESTMARK KD. *See* Westmark RM, 289
WESTMARK RM, WESTMARK KD, SONNTAG VKH. Disappearing cervical disc. Case report, 289
WHITTLE IR. *See* Thomson AM, 923
WIESTLER OD. *See* Stangl AP, 853
WILLIS WD. *See* Nauta HJW, 538
WINN HR. *See* Jünger EC, 425
_____. *See* Le Roux PD, 1069
_____. *See* Stelzer KJ, 168
WOLF HK. *See* Kristof RA, 558
WOLFLA CE, LUERSSEN TG, BOWMAN RM. Regional brain tissue pressure gradients created by expanding extradural temporal mass lesion, 505
WYATT M. *See* Bavetta S, 927

YAMADA K, MIYAMOTO S, NAGATA I, KIKUCHI H, IKADA Y, IWATA H, YAMAMOTO K. Development of a dural substitute from synthetic bioabsorbable polymers, 1012
_____, TABATA Y, YAMAMOTO K, MIYAMOTO S, NAGATA I, KIKUCHI H, IKADA Y. Potential efficacy of basic fibroblast growth factor incorporated in biodegradable hydrogels for skull bone regeneration, 871
YAMAGATA S. *See* Tokime T, 907
YAMAKI T, IKEDA T, SAKAMOTO Y, OHTAKI M, HASHI K. Lymphoplasmacyte-rich meningioma with clinical resemblance to inflammatory pseudotumor. Report of two cases, 898
YAMAMOTO H. *See* Tani T, 303
YAMAMOTO K. *See* Yamada K, 871, 1012
YAMAMOTO S. *See* Iwama T, 806
_____. *See* RYU H, 1053
YONAS H. *See* Comey CH, 154
_____. *See* Firlik AD, 830
YOSHIMOTO K, NISHIO S, SUZUKI S, FUKUI M, HASUO K. Movable oil in the brain: intracranial ruptured dermoid tumors. Case illustration, 734
YOSHIMOTO T. *See* Nakasato N, 610
YOSHIMOTO Y, ENDO M, MORI T, WAKAI S. Correlation between venous stump pressure and brain damage after cortical vein occlusion: an experimental study, 694
YOSHIZAKI Y. *See* Kazuki S, 859
YOUNG B. *See* Hatton J, 779
YOUNG RF. Surgery or radiosurgery? Letter, 167
YUAN Z. *See* Taylor CL, 583
YUH W. *See* Heth JA, 567

ZAGER EL. Book review, 314
ZATORRE R. *See* Leblanc R, 316
ZENTNER J, MEYER B, STANGL A, SCHRAMM J. Tumors of the insula. Letter, 910
ZERAH M. *See* Cinalli G, 553, 571
ZHOU Y. *See* Black KL, 603
ZIMMERMAN R. *See* Arginteanu MS, 1046
ZIMMERMAN RA. *See* Arle JE, 755
ZWIMPFER TJ, BROWN J, SULLIVAN I, MOULTON RJ. Head injuries due to falls caused by seizures: a group at high risk for traumatic intracranial hematomas, 433

Subject Index

Abducens nerve
Continuous intraoperative electromyographic monitoring of cranial nerves during resection of fourth ventricular tumors in children, 1
Abscess
Diagnosis of brain abscess by magnetic resonance spectroscopy. Report of two cases, 708
Primary reconstruction for spinal infections, 981
Abstracts
Alberstone CD. *Mozart and neurosurgery: the misadventures of a composer's cranium*, 382A
_____. *Role of angiography in the development of early modern aneurysm surgery*, 403A
Aletich V, Debrun G, Ausman J, Charbel F, Dujovny M, Kehrli P, Misra M. *Selection of cerebral aneurysms for treatment with Guglielmi detachable coils: preliminary experience*, 372A
Alexander J, Haid R, Rodts G, Erwood S. *Posterior occipitocervical fusion using a new titanium device: review of first 20 patients*, 422A
Amar A, Choi SH, Levy M, McComb JG. *Benefits of aggressive fenestration versus limited fenestration or shunting of enlarging temporal region arachnoid cysts*, 371A
_____, Levy ML, Giannotta SL. *Iatrogenic vertebrobasilar insufficiency following surgery of the subclavian artery*, 406A
Amin-Hanjani S, Ogilvy CS, Candia GJ, Lyons S, Chapman PH. *Stereotactic radiosurgery for cavernous malformations: Kjellberg's experience with proton beam therapy in 98 cases at the Harvard Cyclotron*, 357A
Anderson G, Findlay JM, Ashforth R. *Early experience with CTA following SAH*, 403A
Apostolides PJ, Sankhla S, Vishteh AG, Zabramski JM. *Surgical management of acute symptomatic ICA occlusion*, 392A
Arnold PM, Smirnova IV, Citron BA, Festoff BW. *Thrombin mimics serum withdrawal causing apoptosis in model motor neurons*, 421A
Austin G, Anderson D, Fisher S, Gaskell R, Schievink W. *Blood flow in a brain aneurysm*, 408A
Bakay RAE, Starr PA, Vitek JL, Baron MS, DeLong MR. *Microelectrode-guided pallidotomy for treatment of advanced Parkinson's disease*, 358A
Banco R, Grottkau B, Cicerchia D, Banco S, Cowan S. *A randomized preliminary trial to determine the effect of DC stimulation on instrumented fusion in smokers*, 413A
Barker FG II, Swearingen B. *Craniotomy for idiocy: the rise and fall of a neurosurgical operation*, 383A
Baskin JJ, Manwaring KH, Rekate HL. *Endoscopic third ventriculostomy and the slit ventricle syndrome*, 370A
Bednar MM, Gross CE, Russell SR, Booth CL. *Nitric oxide reverses aspirin antagonism of TPA thrombolysis in experimental stroke*, 395A
Beer SJ, Wetjen N, Loftus CM. *Outcome after aneurysmal SAH in the elderly based on surgical timing*, 398A
Berger MS, Prados M, Van Gilder JC, Warnick RE, Link CJ, Marcus SG, McDermott M. *Gene therapy for the treatment of recurrent glioblastoma multiforme with* in vivo *transduction using the herpes simplex-thymidine kinase gene/ganciclovir system*, 378A
Boecher-Schwarz HG, van Lindert E, Kessel G, Perneczky A. *Correlation of symptoms and outcome after SAH to the age of patients*, 401A
Brockmeyer DL, Apfelbaum RI. *Pediatric C1–2 transarticular screw fixation for atlantooccipital and atlantoaxial instability*, 387A
Broggi G, Franzini A, Servello D, Dones I. *Trigeminal neuralgia, multiple sclerosis, and microvascular decompression*, 374A
Cahill DW. *Subtotal vertebrectomy with anterior and posterior reconstruction using a single posterior approach*, 419A
Carlin R, Aust JC, Kort KK, McGraw DJ. *Awake carotid endarterectomy without a shunt with contralateral occlusion*, 391A
Carter BS, Ogilvy CS, Choi IS. *Outcome and efficacy of endovascular and surgical treatment of intracranial aneurysms: insights from a new grading scale*, 372A
Casha S, Fehlings MG. *Changes in cytoskeletal proteins following spinal cord injury and the effects of Na^+ channel blockade: implications for the development of novel therapeutic strategies*, 421A
Chambi IP, Nudelman K. *The piriformis syndrome manifesting as lumbar disc syndrome: report of 19 cases*, 356A
Chang SD, Adler JR Jr. *Stereotactic radiosurgery of cavernous sinus meningiomas: clinical and radiological results*, 359A
_____, Lopez JR, Steinberg GK. *Use of electrophysiological monitoring during resection of arteriovenous malformations and angiographically occult vascular malformations*, 400A
_____, _____, _____. *Use of evoked potential monitoring in the intraoperative management of cerebral aneurysms*, 400A
Chenelle A, Laws E Jr. *An evaluation of the role of radiation therapy in the management of pituitary adenomas*, 367A
Chesnut RM, Lang EW. *A bedside method for investigating the integrity and critical thresholds of cerebral pressure autoregulation in severe traumatic brain-injured patients*, 376A
Chhabra A, Nolen AA, Opperman LA, Ogle RC, Jane JA. *Transforming growth factor-β2 and 3 play opposing roles in rat cranial vault suture morphogenesis*, 384A
Choi SH, McComb JG. *Fifteen-year experience with myelocystoceles*, 386A
Choudhri TF, Connolly ES Jr, Fiore A, Hoh B, Havenhill T, Jones K, Khandji A, Solomon RA. *Predisposing factors and natural history of residual aneurysmal necks after surgical clipping*, 357A
_____, Hoh BL, Connolly ES Jr, Solomon RA. *Management of intracranial dural AVMs with cortical venous drainage*, 410A
_____, _____, Solomon RA, Connolly ES Jr, Pinsky DJ. *Spectrophotometric hemoglobin assay: a new method to quantify experimental murine intracerebral hemorrhage and its potentiation by tissue plasminogen activator*, 410A
_____, Slosberg J, Genre KL, Rich CC, Johnson JP, Choi A, Lin T, Hoh BL, Cruz M, Solomon RA, Connolly ES Jr. *Influence of smoking, hypertension, and postmenopausal estrogen replacement therapy on the phenotypic expression of familial intracranial aneurysms*, 398A
Choux M, Lena G, Jolivert J, Do L. *Brainstem tumors in children: classification and management*, 362A
Choy DS. *Magnetic resonance imaging with the lumbosacral spine under compression*, 416A
Christensen MD, Hulsebosch CE. *Nerve growth factor antibodies inhibit the development of thermal allodynia in chronic central pain following spinal cord injury*, 374A
_____, Supowit S, DiPette D, Hulsebosch C. *Gene expression of CGRP and GAP-43 in dorsal root ganglia following spinal hemisection and nerve growth factor*, 375A
Connolly ES Jr, Adams DC, Heyer EJ, Steneck SD, Prestigiacomo CJ, Quest DO, Altman J, Choudhri TF, Solomon RA. *Fixed heparin dosing: prospective study of activating clotting times and neuropsychological outcome in patients undergoing carotid endarterectomy*, 410A
Costello P, Keating RF, Goodrich JT. *Silicone shunt allergy revisited*, 385A
Counelis GJ, Martin NA, Duckwiler G, Viñuela F. *Management of tentorial dural arteriovenous malformations*, 397A
Dailey AT, Tsuruda JS, Filler AG, Maravilla KR, Goodkin R, Kliot M. *Magnetic resonance neurography of peripheral nerve degeneration and regeneration: a clinical case presentation*, 416A
Darden BV II, Hatley M, Owen JH. *A comparison of impedance and EMG procedures in detecting the presence of pedicle wall breakthrough*, 414A
Davis FG, Freels S, Grutsch J, Barlas S, Brem S. *Survival of patients*

with primary malignant brain tumors by age and histological grouping, from surveillance, epidemiology, and end results program data (SEER 1973–1991), 379A

Day AL, MacDonald JD. *Surgery for paraclinoid aneurysms: results and complications in 200 consecutive cases treated by direct clipping*, 363A

de Tribolet N, Berdoz D, Uske A. *Subarachnoid hemorrhage of unknown cause: clinical, neuroradiological, and evolutional aspects*, 369A

Deen HG, Zimmerman RS, Lyons MK, McPhee MC, Verheijde JL, Lemens SM. *Use of the exercise treadmill to assess baseline functional status and surgical outcome in patients with lumbar spinal stenosis and neurogenic claudication*, 356A

Derdeyn CP, Moran CJ, Cross DT III, Dacey RG Jr. *Anatomical factors predicting the need for intraoperative angiography*, 397A

Dermeyer L, De Deyne C, Nollet G, De Jongh R, Verhoeven FJS, Luther RR, Fellmann J, McGuire D. *SNX-111, a novel neuroprotective peptide: results of a Phase I/II study in patients with moderate to severe traumatic brain injury*, 377A

Dull S, Foley K, DiAngelo D, Eckstein E. *Biomechanical analysis of a multilevel cervical corpectomy model: a comparison of strut graft reconstruction alone or concurrent with anterior cervical plating*, 421A

Durward QJ, Case JL. *Extracranial microvascular decompression for occipital neuralgia*, 375A

Ellis TL, Friedman WA, Bova F, Moore R, Buatti J, Meeks S. *Patterns of treatment failure in patients undergoing stereotactic radiosurgery for arteriovenous malformations*, 364A

Fessler RG, MacMillan M. *Endoscopically assisted retroperitoneal lumbar fusion*, 417A

Filler AG, Jabour B, Kliot M, Lufkin RB, Johnson JP. *Magnetic resonance neurography: imaging characteristics of the sciatic nerve at the level of the pyriformis muscle in patients with leg pain*, 416A

Foley KT, Smith MM. *Frameless stereotactic guidance of C1–2 transarticular screw placement: clinical experience*, 360A, 419A

_____, _____, Wiles D. *Anterior cervical plating does not prevent strut graft displacement in multilevel cervical corpectomy*, 355A

Freeman T, Kordower J, Rosenstein J, Collier T, Burke M, Chen EY, Li JM, Levey A, Mufson E, Hauser R, Snow B, Sanberg P, Borlongan C, Randall T, Olanow W. *Survival of functional fetal nigral grafts in two patients with Parkinson's disease*, 380A

Freese A. *A historical perspective on gene therapy: implications for molecular neurosurgery*, 383A

Friedlander RM, Hara H, Gagliardini V, Moskowitz MA, Yuan J. *Mechanisms and modulation of cerebral ischemia-mediated cell death*, 393A

Frim DM, Fleig D, Reidy P, Goumnerova LC. *CSF shunt valve performance monitored telemetrically in patients with shunted hydrocephalus*, 370A

Fulmer BB, Iskander BJ, Oakes WJ, Hadley MN. *Tethered cord syndrome in adults*, 419A

Gaab MR. *Operative decompression in traumatic brain swelling: a prospective investigation*, 376A

_____, Schroeder HWS. *Endoscopic management of intraventricular tumors*, 371A

Gabriel EM, Nashold BS Jr. *Historical evolution of surgical treatments for involuntary movement disorders*, 382A

Gaudinez RF, English GM, Gebhard JS, Brugman JL, Donaldson DH, Brown CW. *Esophageal perforations following anterior cervical surgery*, 366A

Geisler F, Caspar W, Pitzen T, Johnson T, Grutsch J. *Risk/benefit ratio of one- and two-level anterior cervical plate stabilization for degenerative disease*, 422A

_____, Cerullo LJ, Brown JT, Grutsch J, Johnson T. *Anterior cervical plating with single and multilevel fusion in degenerative disease*, 387A

Gerszten PC, Gerszten E, Allison MJ. *Diseases of the skull in pre-Columbian mummies from the Andean region*, 354A

Gewirtz RJ, Marks MP, Steinberg GK. *Clinical outcome of symptomatic patients with carotid artery occlusion and decreased hemodynamic reserve treated with STA-MCA bypass*, 352A

Giannotta SL, Krieger MD. *Management of intraoperative rupture of basilar and distal vertebral artery aneurysms*, 406A

Gokaslan ZL, McCutcheon IE, Walsh GL, Putnam JB Jr, Nesbitt NC. *Transthoracic vertebrectomy in cancer patients*, 356A, 418A

Goodman RR, Emerson R. *Peripheral nerve evoked potentials successfully guide implantation of spinal stimulator electrodes under general anesthesia*, 374A

Greenwald DL, Kim DH, Day AL. *Remote posterior fossa hemorrhage as a complication after supratentorial craniotomy*, 411A

Gruber DP, Crone KR. *Endoscopic wash-out: a new technique for treating chronic subdural hematomas associated with abuse in children*, 365A

Guest JD, Schwab ME, Bunge MB, Bunge RP. *Acidic fibroblast growth factor-containing fibrin glue reduces corticospinal tract die-back and promotes regeneration into human Schwann cell grafts within the injured spinal cord*, 420A

Hacker RJ. *A new interspace device for anterior cervical fusion with noniliac crest autograft: initial results*, 387A

Halbach VV, Higashida RT, Dowd CF, Urwin RW, Balousek PA, Lempert TE, Hieshima GB. *Cavernous internal carotid artery aneurysms treated with electrolytically detachable coils*, 370A

Hannan E, Popp AJ, Tranmer BI, Waldman JB, Cole E, Shah D, Feustel PJ. *Volume and mortality of carotid endarterectomies in New York State, 1990–1995*, 353A

Heffez DS, Rosel PR, Davison WC. *Delayed thromboembolic stroke following the successful endovascular treatment of internal carotid artery aneurysms*, 391A

Henderson JM, Eichholz KM, Bucholz RD. *Decreased length of stay and hospital costs in patients undergoing image-guided craniotomies*, 367A

Hughes JEO, Sundaresan N, DiGiacinto GV. *Spinal instrumentation in cervical osteomyelitis*, 372A

Huh SK, Batjer HH, Lipton JM. *Protective effects of α-melanocyte-stimulating hormone on canine brainstem ischemia*, 402A

Ishii N, Sawamura Y, de Tribolet N, Abe H. *Surgical management of primary intracranial germinomas: diagnostic surgery or radical resection?* 362A

Iskandar BJ, Fulmer B, Oakes WJ, Hadley MN. *Congenital tethered cord syndrome in adults*, 353A

Javedan SP, Sheppard JME, Lee R, Breiter SN, Crone NE, Hoenig-Rigamonti K, Rigamonti D. *The natural history of cavernous malformations: a prospective study*, 372A

_____, Tamargo RJ. *The diagnostic yield of brain biopsy in neurodegenerative disorders*, 362A

Javid MJ, Hadar E. *A prospective long-term follow up of laminectomy patients for lumbar stenosis*, 415A

Jho HD, Carrau RL. *Endoscopic transsphenoidal surgery in 55 patients*, 351A

Jimenez DF, Boyer RP, Wetherington CA. *Endoscopic treatment of complex hydrocephalus*, 385A

Johnson JP, Filler AG, Pare LS, McBride DQ, Batzdorf U. *Anterior cervical foraminotomy*, 417A

Junn FSC, Hutchison WD, Lozano AM, Tasker RR, Dostrovsky JO. *Does somatotopy exist in the human globus pallidus?* 380A

Kallmes DF, Kallmes MH, Jensen ME, Kassell NF. *Routine cerebral angiography after clipping of ruptured aneurysms: a cost-utility analysis*, 373A

Kane WJ, Czop SM. *An analysis of risk factors affecting spinal fusion success with implantable direct current stimulation*, 413A

Kato Y, Sano H, Kanno T, Ogura Y, Katada K. *Direct surgical treatment of juxtadural ring aneurysms*, 391A

Kaufmann AM, Yonas H, Firlik A, Wechsler L, Jungreis C, Barch C. *Neurosurgical management of complicated stroke interventions*, 368A

Khanna RK, Mehta BA, Malik GM. *A proposed classification for prediction of symptomatic vasospasm following aneurysmal subarachnoid hemorrhage*, 373A

_____, _____, _____, Sanders W. *Efficacy of cerebral angioplasty as related to duration of medically refractory symptomatic cerebral vasospasm following aneurysmal subarachnoid hemorrhage*, 393A

Kim DH, Zipfel GJ, Day AL. *Outcomes from clipping of basilar apex aneurysms: results from a modern surgical series*, 398A

Kim DS, Kye DK, Huh PW, Cho KS, Kang JK. *Emergency bilateral decompressive craniectomy: poor-grade aneurysm patients*, 412A

Koivisto T, Hernesniemi J, Saari T, Vanninen R, Vapalahti M. *A randomized study of open versus endovascular surgery in recently ruptured cerebral aneurysms*, 363A

Kondziolka DS, Lunsford LD, Bissonette DJ, Flickinger JC. *The risk of major morbidity after stereotactic radiosurgery*, 358A
_____, _____, Bozik M, Flickinger JC. *Safety and efficacy of malignant glioma radiosurgery: a long-term perspective*, 378A
_____, Somaza S, Martinez AJ, Lunsford LD, Flickinger JC. *A radioprotectant drug for radiosurgery: the 21-aminosteroid U74389G*, 350A
Krieger MD, Couldwell WT, Weiss MH. *Assessment of surgical cure of acromegaly*, 351A
Krisht AF. *Indicators of the usefulness of intraoperative angiography after aneurysm clipping*, 402A
_____, Burson T. *Combined pretemporal and endovascular approach to the cavernous sinus for the treatment of carotid cavernous dural fistula*, 402A
Kuether TA, Nesbit GM, Barnwell SL. *Clinical outcome and treatment data in patients with cerebral aneurysms treated with GDCs: a single center experience*, 395A
_____, _____, _____. *Clinical outcome and treatment data of patients with cerebral aneurysms treated with GDC: a single-center experience*, 353A
Lanzino G, Laws ER Jr. *Cerebrospinal fluid diversion for hydrocephalus: a historical overview of the surgical methods*, 383A
Larson JJ, Tew JM Jr, van Loveren HR, Tomsick TA. *Delayed complications after permanent balloon occlusion of the internal carotid artery (ICA) for treatment of aneurysms of the ICA*, 364A
Lasner TM, Weil RJ, Riina HA, King JT Jr, Zager EL, Flamm ES. *Cigarette smoking predicts symptomatic vasospasm after aneurysmal subarachnoid hemorrhage*, 366A
Lawton MT, Geldmacher TR, Harrigan M, Golfinos JG, Spetzler RF. *Clinical evaluation of frameless stereotactic systems*, 382A
_____, _____, _____, _____, _____. *Clinical evaluation of frameless stereotactic systems in neurovascular/skull base surgery*, 392A
_____, Jacobowitz R, Spetzler RF. *The role of angiogenesis in the pathogenesis of DAVMs redefined*, 401A
_____, Raudzens PA, Jacobowitz R, Zabramski JM, Spetzler RF. *Hypothermia-induced circulatory arrest in neurovascular surgery: evolving indications and predictors of patient outcome*, 401A
Le Roux PD, Sarudrala S. *Parenteral ketorolac in the management of postoperative pain after lumbar disc surgery: a prospective double-blind randomized study*, 375A
Lee JH, Martin NA, Counelis GJ, Guglielmi G, Viñuela F, Duckwiler G, Gobin YP. *Immediate surgical and endovascular therapy: minimizing the risk of rebleeding in the acute period following aneurysmal SAH*, 396A
_____, _____, _____, _____, _____, _____, _____. *Immediate surgical and endovascular therapy: toward the elimination of rebleeding in the acute period following aneurysmal SAH*, 411A
Lee KC. *Current status of management of poor-grade patients with a ruptured intracranial aneurysm*, 400A
Lee SH, Lee IM, Sung KH, Sung YS, Kim JS. *Comparison of posterior interbody fusion, posterolateral fusion, and interspinous ligamentoplasty for degenerative lumbar instability*, 424A
Lee TT, Galarza M, Villanueva PA. *Diffuse axonal injury is not associated with elevated intracranial pressure*, 352A
_____, Gromelski EB, Green BA. *Treatment of spinal intramedullary ependymoma: is radiation needed?* 360A
_____, Manzano GR, Green BA. *Clinical outcome for cervical spondylotic myelopathy treated with modified open-door laminoplasty*, 423A
Lenartz D, Floeth F, Bock W, Beuth J, Weber F. *Immunomodulatory effects in glioblastoma patients after treatment of recurrent tumor with gene therapy*, 379A
Lenz FA, Zirh TA, Cutler RG, Rowland L, Dougherty PM. *Tremor-related thalamic activity is not consistent in unpatterned overactivity of the internal segment of the globus pallidus*, 381A
Lévesque MF, Sutherling WW, Philpott L. *Selective hippocampectomy sparing amygdala and neocortex: a new approach for the treatment of temporal lobe epilepsy*, 381A
Levi ADO, Dickman CA, Sonntag VKH. *The management of postoperative infections after spinal instrumentation*, 415A
Litofsky NS, Lachyankar MB, Quesenberry PJ, Ross AH, Recht LD. *What determines a benign glioma phenotype?* 378A
Lowery GL, Carmody CN, McDonough RF, Allen AT. *Posterior cervical hybrid reconstruction: plating with articular pillar and pedicle screws*, 386A
_____, McDonough RF, Allen AT. *The significance of hardware failure in anterior cervical plating: a review of 260 anterior cervical cases*, 422A
Lozano AM, Taub E, Tasker RR, Davis KD, Lang AE, Dostrovsky J, Houle S. *Globus pallidus stimulation activates the cortical motor system and reverses parkinsonism*, 359A
Macdonald RL, Johns L. *Prevention of vasospasm after SAH in dogs by continuous intravenous infusion of PD156707*, 407A
Magge SN, Scott RM, Stieg PE. *Surgical management of posterior fossa cavernous malformations*, 408A
Malisch TW, Murayama Y, Guglielmi G, Mawad M, Viñuela F, Duckwiler G, Gobin YP, Martin NA, Frazee J. *GDC embolization of acute ruptured intracranial aneurysms: protection against rebleeding during antivasospasm interventions*, 396A
Malone DG, Tomecek FJ, Boxell C, Gaede SE, Kugler K, Covington C, Yarde W, Baldwin WG. *Cervical myelopathy and radiculopathy worsened by spinal manipulative therapy*, 416A
Martin GJ Jr, Boden SD. *The use of a new form of demineralized bone matrix in experimental posterolateral lumbar spine fusion*, 413A
_____, Haid RW Jr, Rodts GE Jr, Woodard EJ, Erwood SC. *Lateral mass plating of the posterior spine*, 355A, 423A
Maugans TA, McComb JG, Levy ML. *Surgical management of sagittal synostosis: a comparative outcome analysis*, 354A
McGregor JM, Pearson AC, Latcham AP. *Cardiac inotropic agents have different cerebral hemodynamic effects in old and young populations*, 394A
McIntosh TK, Raghupathi R, Saatman K, Napieralski J, Welsh F, Strauss K, Narayan R, Smith D, Flamm ES. *Gene expression in traumatic brain injury: rationale for novel pharmacological therapy*, 366A
McKhann GM II, D'Ambrosio R, Janigro D. *Electrophysiological heterogeneity of astrocyte ion current mechanisms*, 380A
McLaurin RL. *Medical malpractice: the ancient background*, 382A
Medary MB, Bailes J, Teeple E, Davis D. *Reliability of EEG as an indicator for intraluminal shunting during carotid endarterectomy*, 399A
Medele RJ, Müller AJ, Stummer W, Steiger HJ, Reulen HJ. *Intraocular hemorrhage in patients with acutely raised intracranial pressure*, 367A
Mendelowitsch A, Sekhar LN, Wright DC, Shuaib A. *An increase in extracellular glutamate is a sensitive method of detecting ischemic neuronal damage during cranial base and cerebrovascular surgery: an* in vivo *microdialysis study*, 368A
Metzger AK, Mohapatra G, Minn Y, Bollen AW, Wilson CB, Feuerstein BG. *Chromosome 11 abnormalities are the most frequent of multiple aberrations detected in pituitary adenomas by comparative genomic hybridization*, 377A
Midha R. *Epidemiology of brachial plexus injury in a multitrauma population*, 387A, 415A
_____, Munro C, Mackinnon SE, Ang L. *Motor and sensory specificity of host nerve axons influence nerve allograft rejection response*, 420A
Milhorat TH, Kotzen RM, Bolognese P, Cottrell JE. *Pathophysiological effects of raised intracavitary pressure in syringomyelia*, 386A
_____, Wolpert C, Speer M, Mu HTM. *Hereditary aspects of the Chiari malformation in 225 families*, 360A
Moriarty TM, Nakajima S, Jolesz FA, Kikinis R, Stieg PE. *Computer-assisted surgery for cerebrovascular neurosurgery*, 395A
Morone MA, Boden SD. *Gene expression during experimental posterolateral lumbar spine fusion*, 413A
Morrison G, Jayakar P, Duchowny M, Resnick R, Dean P. *Resective epilepsy surgery in childhood with or without a lesion*, 351A
Naderi S, Crawford NR, Sonntag VKH, Dickman CA. *Biomechanical comparison of atlantoaxial posterior wire/graft/screw combinations*, 420A
Naff NJ, Hanely DF, Bryan RN. *Blood clot resolution in human CSF: a serial quantitative study*, 392A
Neuwelt EA, Brummett R, Muldoon LL, Doolittle NF, Church V, Pagel M, Petrillo A, Tyson R, Remsen LG, Kroll RA, McCormick CI, Fausti S, McMenomey SD, Nye J. *Sodium thiosulfate as a protectant against carboplatin-induced ototoxicity in the treatment of patients with malignant brain tumors*, 350A
North RB, Kidd DH, Piantadosi S. *A prospective, randomized clinical*

efficacy and cost analysis study of spinal cord stimulation versus reoperation, 364A
Ogilvy CS, Kalkanis SN. *"Micro" AVMs: significant hemorrhage from small arteriovenous shunting vessels*, 404A
_____, Smrcka M, Maynard KI. *Reduction in CBF with venous occlusion: understanding the pathophysiology of venous occlusion disease*, 404A
_____, Wang PP, Kistler JP, Suwanwela N, Can U, Koroshetz WJ, Southern JF. *Carotid endarterectomy without angiography: correlation of plaque morphology with noninvasive testing*, 393A
Oshiro EM, Rini DM, Tamargo RJ. *Contralateral approaches to bilateral aneurysms: a surgical case series and microsurgical cadaver study*, 394A
Pait TG, Burson T, Rahman S. *The sacral roof and its windows: an anatomical review*, 418A
Paramore CG, Hadley MN. *Surgical treatment of arachnoid cysts of the thoracic spine*, 419A
Park H, Takahashi A, Diaz F. *Coupled changes in microvessel and EEG spectrum due to ischemic insult*, 407A
Park JK, Scott RM. *Management of Chiari I malformation in a pediatric population*, 386A
Patil A, Andrews R, Torkelson B. *Minimally invasive epilepsy surgery*, 381A
Peterson PL, Xiong Y, Muizelaar JP, Lee CP. *Protective effect of U-101033E or rat brain mitochondrial function following traumatic brain injury*, 375A
Polin R, Apperson-Hansen C, German P, Chadduck J, Kassell N. *Intraarterial papaverine for the treatment of symptomatic cerebral vasospasm*, 369A
_____, Lin K, Jane JA. *Persistent posterior plagiocephaly: the University of Virginia approach*, 354A
Porter PJ, Harper WD, Willinsky RA, Wallace MC. *Cerebral cavernous malformations: natural history and prognosis after clinical deterioration with or without hemorrhage*, 350A, 397A
Prall JA, Symonds D, Knudson D, Breeze R. *Incidence of unsuspected blunt carotid artery injury*, 370A
Preul MC, Caramanos Z, LeBlanc R, Villamure JG, Narayanan S, Comeau R, Pokrupa MR, Olivier A, Sadikot AF, Arnold DL. *Improved stereotactic brain tumor biopsy on resection using* in vivo *biochemical imaging: accurate prediction of regional tissue chemicopathological characteristics leads to more accurate target planning*, 361A
Raghupathi R, Fernandez SC, Conti A, Wolfe JH, McIntosh TK, Flamm ES. *Evaluation of adenoviral-mediated gene therapy following experimental brain injury in the rat*, 376A
Replogle R, Fergus A, Jin Y, Lee K. *Hypoxia induces biphasic dilation and constriction in brain parenchymal microvessels*, 408A
Robertson SC, Barua M, Brown P III, Loftus CM. *Increased blood flow through cerebral collateral vessels by inhibition of neuronal NOS*, 405A
_____, Schipper P, Menezes AH. *Occipital calvarial bone graft in dorsal occiput-cervical fusions*, 422A
_____, Wetjen NM, Beer BJ, Loftus CM. *Pre- and postischemic effects of MK-801 on regional CBF*, 406A
Ronkainen A, Hernesniemi J, Puranen M, Niemitukia L, Vanninen R, Ryyniänen M, Kuivaniemi H, Tromp G. *Screening for familial intracranial aneurysms: first step toward optimal timing of aneurysm surgery*, 352A
Sakata M, Yanamoto H, Tsukahara T, Hashimoto N, Taniguchi T. *Limitation of neurotrophic action to reduce the volume of cerebral infarction after focal temporary ischemia*, 402A
Salloum MH, Manthei G, Nabavi A, Medhorn HM. *An assessment of predictor variables for the outcome after microdiscectomy in patients with degenerative lumbar disc disease*, 414A
Sampson JH, Ashley DM, Archer GE, Fuchs HE, Batra SK, Hale LP, Bigner DD. *Successful treatment of established intracerebral tumors by vaccination with glioma antigen-specific, genetically modified allogeneic cells in a murine model*, 379A
Samson DS, Horowitz MB, Kopitnik T, Batjer HH. *Reoperation for residual/recurrent aneurysms of the basilar apex*, 357A
Sanan A, Rengachary SS. *The history of spinal biomechanics*, 384A
Sanford RA, Gajjar A, Muhlbauer MS, Kun LE, Troup EC. *Pediatric low-grade astrocytoma: results of surgery and multifactorial analysis in tumors distributed throughout the entire neuraxis*, 361A
Sano H, Kato Y, Kanaoka N, Katada K, Kanno T. *Therapeutic strategy for successful resection of AVMs in the functional motor cortex*, 396A
Schulder M, Black PM, Alexander E III, Loeffler JS. *The influence of Harvey Cushing on therapeutic neuroradiology*, 384A
Seiff ME, Keating RF, Seimen L, Marion R, Goodrich JT. *Long-term outcome in myelomeningocele: these kids are doing better than you think*, 353A
Seyfried DM, Han Y, Zheng ZG, Day N, Sloane BF. *Novel treatment for the reduction of cerebral infarction in a preclinical study of MCAO and reperfusion*, 400A
Shalmon E, Olvey SE, Villanueva PA, Augentein JS, Green BA. *Biomechanical characterization of fatal catastrophic spine injury associated with air bag deployment*, 365A
Shapiro S, Bowman RM, Wolfla C, Callahan JD, Kayser C, Sato K. *Management of traumatic acute subdural hematoma in the CT/intracranial pressure monitor era*, 365A
_____, Chua RV, Snyder WE. *Banked fibula, locking cervical plate, and allogeneic bone matrix fusion*, 355A
Smith K, Zabramski JM, Spetzler RF. *Seizure outcome following lesionectomy of cavernous malformations*, 358A
Smith M, Foley K. *Microendoscopic discectomy: surgical technique and initial clinical results*, 417A
Smrcka M, Ogilvy CS, Crow RJ, Maynard KI, Kawamata T, Ames A III. *Induced hypertension improves collateral blood flow and protects against infarction during focal ischemia: spatial distribution of flow measured by laser Doppler imaging*, 404A
Songer MN, Rovin R. *Repair of the pars interarticularis defect with a cable-screw construct*, 414A
Stefani MA, Porter PJ, Kerr R, terBrugge K, Montanera W, Willinsky RA, Wallace MC. *Correlation of clinical presentation with angiographic characteristics of brain AVMs*, 409A
_____, Schneider FL, Marone ACH, Severino AG, Wallace MC. *Anatomical study of the distal cortical branches of the anterior cerebral artery in humans*, 409A
Sternau L. *A new cause for stroke as identified by helical CT holography*, 412A
Stieg PE, Torrón JA, Irwin CA, Benowitz LI. *Increased levels of GAP-43 in thalamic nuclei contralateral to injured cortex: potential basis for functional compensation*, 408A
Sundaresan N, O'Shea J, Steinberger A, Sachdev VP, Moore F. *Surgical approaches to tumors of the sacrum*, 418A
Tang G, Barker FG II, Swearingen B, Zervas NT. *Prolactinomas in men: clinical features and long-term outcome after transsphenoidal resection*, 361A
Trier TT, Chen JW. *Apoptotic focal cerebral ischemia: application of ELISA for quantitative results*, 392A
Trumble ER, Sklar F, Johnston C. *Aneurysmal bone cysts: presentation, treatment, and outcome*, 385A
Tse VCK, Hsiao M, Silverberg GD. *Application of tumor suppressor genes in the treatment of glioma: a comparative study*, 360A
Türe U, Pait TG. *Development of surgery of the third ventricle*, 384A
van Horne CG, Eken S, Granholm AC, Hoffer BJ. *Fetal kidney tissue augments the function and cell survival of fetal dopaminergic tissue when cografted in an animal model of Parkinson's disease*, 358A
Van Roost D, Schramm J. *What factors are related to impairment of cerebrovascular reactivity before and after AVM resection? A Xe/CT CBF study*, 369A
Vishteh AG, Anson JA, Sankhla S, Spetzler RF. *Surgical resection of intramedullary spinal cord cavernous malformations: association with venous malformations, long-term outcomes, and delayed complications*, 424A
Wang PP, Ogilvy CS, Rabinov JD. *Routine use of intraoperative angiography and CT angiography in the management of paraclinoid aneurysms*, 404A
Wang X, Macdonald RL, Bell G. *Effect of hemoglobin on immediate early gene expression in cultured rat aortic smooth-muscle cells*, 407A
Watson JC, Doppenberg EMR, Bullock MR, Zauner A, Young HF. *Changing hemoglobin to protect the brain: evaluation of a novel oxygen delivery compound in experimental ischemia*, 376A
Wellman BJ, Loftus CM, Kresowik T, Todd M, Granner M, Sawin P. *Differences in EEG changes in awake versus anesthetized carotid endarterectomy patients*, 405A

———, Traynelis VC, Follett KA. *Complications of posterior cervical plating in 43 consecutive patients*, 423A

Wetjen NM, Robertson SC, Beer B, Loftus CM. *Effect of hypothermia on regional and collateral-dependent blood flow in the ischemic brain*, 405A

Wilcott WP, Meythaler JM, Hadley MN. *Intrathecal baclofen in the treatment of spastic hypertonia due to brain injury*, 368A

Wrobel CJ, Taylor WR, Chappell T, Tantuwaya LS. *Twenty cases of coccidioidomycosis involving the spine: clinical presentation, radiological findings, and treatment results*, 371A

Wylen EL, Willis BK, Nanda A. *Traumatic carotid artery injury: the 5-year experience at a Level 1 trauma center*, 394A

Yakes WF, Smith D, Driesback JN, Veibert C, Griffin D, Luethke JN. *Intraarterial acute stroke management: a community hospital experience*, 373A

Yamada S, Rouse G, Iacono RP, Mandybur GT, Morenski JD, Anton R. *Color Doppler ultrasonography during AVM surgery*, 409A

Yamomoto YL, Ito Y, Leblanc R. *Cerebral retroperfusion with free radical scavengers in experimental MCAO*, 411A

Yanamoto H, Tsukahara T, Hashimoto N. *Delayed ischemic tolerance against temporary focal ischemia following spreading depression in rat neocortex*, 403A

Young RF, Vermeulen SS, Blasko J, Grimm P, Posewitz A. *Gamma knife radiosurgery for treatment of trigeminal neuralgia*, 367A

———, ———, ———, ———, ———. *Stereotactic pallidotomy with the Leksell gamma knife for treatment of Parkinson's disease*, 359A

Zauner A, Doppenberg EMR, Young HF, Bullock MR. *Early impairment of brain oxygen delivery determines outcome after severe head injury: experience with continuous oxygen monitoring in 25 patients*, 377A

Zentner JF, Hufnagel A, Wolf HK, Behrens E, Schramm J. *Surgical treatment of neoplasms associated with medically intractable epilepsy*, 363A

Zirh TA, Lenz FA, Reich SG, Rowland L, Dougherty PM. *Thalamotomy for the treatment of essential tremor: an assessment including blinded measures of outcome*, 364A

Acoustic neuroma
- Direct brainstem recording of auditory evoked potentials during vestibular schwannoma resection: nuclear BAEP recording. Technical note and preliminary results, 1057
- Hearing preservation in the removal of intracanalicular acoustic neuromas via the retrosigmoid approach, 456
- The widened retrolabyrinthine approach: a new concept in acoustic neuroma surgery, 812

Agenesis
- Agenesis of the corpus callosum. Letters, 914

Alpha fetoprotein
- Primary endodermal sinus tumor presenting with spinal cord compression. Case report, 151

American Association of Neurological Surgeons
- Abstracts of AANS Annual Meeting, 350A
- Abstracts of Joint Section on Cardiovascular Surgery, 391A
- Abstracts of Joint Section on Disorders of The Spine and Peripheral Nerves, 413A

Amino acid
- Diagnosis of brain abscess by magnetic resonance spectroscopy. Report of two cases, 708

Amygdalohippocampectomy
- Amygdalohippocampectomy. Letters, 1072

Anastomosis
- Hypoglossal-facial nerve side-to-end anastomosis for preservation of hypoglossal function: results of delayed treatment with a new technique, 203
- Saphenous vein graft bypass of the sigmoid sinus and jugular bulb during the removal of glomus jugulare tumors. Case report, 1036

Anatomy
- Peripheral selective neurotomy of the brachial plexus collateral branches for the treatment of the spastic shoulder: anatomical study and clinical results in five patients, 648
- The suboccipital cavernous sinus. Letters, 315, 316
- Toward an agreement on terminology of nuclear and subnuclear divisions of the motor thalamus, 670

Aneurysm
- Balloon-assisted coil placement in wide-necked aneurysms. Technical note, 724
- Brachial plexus compression by venous aneurysms. Case illustration, 311
- Development of anterior cranial fossa dural arteriovenous malformation following head trauma. Case report, 291
- Effect of transluminal angioplasty on cerebral blood flow in the management of symptomatic vasospasm following aneurysmal subarachnoid hemorrhage, 830
- Endovascular treatment of acutely ruptured and unruptured aneurysms of the basilar bifurcation, 211
- Experimental aneurysms. Letters, 914, 916
- Guglielmi detachable coil embolization of acute intracranial aneurysm: perioperative anatomical and clinical outcome in 403 patients, 475
- Mobilization of the internal carotid artery for basilar artery aneurysm surgery. Technical note, 294
- Proximal long fenestration associated with an internal carotid artery aneurysm. Case illustration, 733
- A randomized, double-blind, vehicle-controlled trial of tirilazad mesylate in patients with aneurysmal subarachnoid hemorrhage: a cooperative study in North America, 467
- Reducing the risk of rebleeding before early aneurysm surgery: a possible role for antifibrinolytic therapy, 220
- The relationship of subarachnoid hemorrhage and the need for postoperative shunting, 462
- Serial changes of hemostasis in aneurysmal subarachnoid hemorrhage with special reference to delayed ischemic neurological deficits, 594
- Transpetrosal approach and sinus division. Letter, 1076

Angiography
- Recurrent AVMs after negative angiography. Letters, 170, 171

Angioplasty
- Balloon-assisted coil placement in wide-necked aneurysms. Technical note, 724
- Effect of transluminal angioplasty on cerebral blood flow in the management of symptomatic vasospasm following aneurysmal subarachnoid hemorrhage, 830

Anomaly
- Craniopharyngioma arising de novo in middle age. Case report, 1046
- Proximal long fenestration associated with an internal carotid artery aneurysm. Case illustration, 733

Antifibrinolytic therapy
- Reducing the risk of rebleeding before early aneurysm surgery: a possible role for antifibrinolytic therapy, 220

Apoplexy
- Third ventricle colloid cysts: a consecutive 12-year series, 5

Arachnoiditis
- Treatment of syringomyelia associated with arachnoid scarring caused by arachnoiditis or trauma, 233

Arteriovenous malformation
- Development of anterior cranial fossa dural arteriovenous malformation following head trauma. Case report, 291
- Embolization and radiosurgery for AVMs. Letters, 318, 319, 320
- Functional magnetic resonance imaging. Letters, 316, 317
- Hemodynamic and metabolic disturbances in patients with intracranial dural arteriovenous fistulas: positron emission tomography evaluation before and after treatment, 806
- Magnetic resonance imaging of obliterated arteriovenous malformations up to 23 years after radiosurgery, 589
- Mixed arteriovenous malformation and capillary telangiectasia: a rare subset of mixed vascular malformations. Case report, 699
- Normal perfusion pressure breakthrough: the role of capillaries, 519
- Radiosurgery for cerebral AVMs in children and adolescents: the neurobehavioral outcome, 207
- Recurrent AVMs after negative angiography. Letters, 170, 171
- Specific repression of the *preproendothelin-1* gene in intracranial arteriovenous malformations, 101
- Surgery for cerebral arteriovenous malformation: risks related to lenticulostriate arterial supply, 801

Artery, *see* specific arteries

Arthrodesis
- Primary reconstruction for spinal infections, 981

Index

Aspiration
Third ventricle colloid cysts: a consecutive 12-year series, 5
Astrocytoma
Isolation and characterization of human malignant glioma cells from histologically normal brain, 525
Nearest-neighbor classification for identification of aggressive versus nonaggressive low-grade astrocytic tumors by means of image cytometry-generated variables, 532
Atlantoaxial subluxation
Radiological and anatomical evaluation of the atlantoaxial transarticular screw fixation technique, 961
Atrial catheter
Atrial placement of ventriculoatrial shunts. Letters, 577
Autoregulation
Cerebral autoregulation following minor head injury, 425
Evaluation of the transient hyperemic response test in head-injured patients, 773
Monitoring of autoregulation using laser Doppler flowmetry in patients with head injury, 438

Baclofen
Intrathecal baclofen. Letters, 917, 918
Basilar artery
Endovascular treatment of acutely ruptured and unruptured aneurysms of the basilar bifurcation, 211
Mobilization of the internal carotid artery for basilar artery aneurysm surgery. Technical note, 294
Basilar invagination
Basilar invagination in osteogenesis imperfecta and related osteochondrodysplasias: medical and surgical management, 950
Pathogenesis of Chiari malformation: a morphometric study of the posterior cranial fossa, 40
Biopsy
Stereotactic biopsy of dominant hemispheric nonpolar tumors: a prospective study of its effects on language functions, 923
Blood-brain barrier
Intracarotid infusion of RMP-7, a bradykinin analog, and transport of gallium-68 ethylenediamine tetraacetic acid into human gliomas, 603
Mechanisms of edema formation after intracerebral hemorrhage: effects of thrombin on cerebral blood flow, blood-brain barrier permeability, and cell survival in a rat model, 272
Normal perfusion pressure breakthrough: the role of capillaries, 519
Bone morphogenetic protein
Utilization of type I collagen gel, demineralized bone matrix, and bone morphogenetic protein-2 to enhance autologous bone lumbar spinal fusion, 93
Bone regeneration
Potential efficacy of basic fibroblast growth factor incorporated in biodegradable hydrogels for skull bone regeneration, 871
Book reviews
Awad IA, Barrow DL (eds). *Giant Intracranial Aneurysms*, 314
Bederson JB (ed). *Subarachnoid Hemorrhage: Pathophysiology and Management*, 736
Borenstein DG, Wiesel SW, Boren SD. *Neck Pain: Medical Diagnosis and Comprehensive Management*, 573
Cheek WR (ed). *Atlas of Pediatric Neurosurgery*, 736
Jane JA (ed). *Neurosurgical Focus. An Electronic Journal*, 163
Seeger W. *Microsurgery of Intracranial Tumors. Vol. 1: Supratentorial Tumors. Vol 2: Special Lesions of the Midline and Rhombencephalon*, 1072
Wiesel SW, Weinstein JN, Herkowitz HN, et al (eds). *The Lumbar Spine, ed 2*, 313
Yaşargil MG. *Microneurosurgery. Vol IVB: Microneurosurgery of CNS Tumors*, 908
Bow hunter's stroke
Comparison of C1–2 posterior fusion and decompression of the vertebral artery in the treatment of bow hunter's stroke, 619
Brachial plexus
Brachial plexus compression by venous aneurysms. Case illustration, 311
Diagnosis of root avulsions in traumatic brachial plexus injuries: value of computerized tomography myelography and magnetic resonance imaging, 69
Bradykinin
Intracarotid infusion of RMP-7, a bradykinin analog, and transport of gallium-68 ethylenediamine tetraacetic acid into human gliomas, 603
Brain injury, *see also* Head injury
Cerebral blood flow as a predictor of outcome following traumatic brain injury, 633
Cerebral hyperglycolysis following severe traumatic brain injury in humans: a positron emission tomography study, 241
Delayed cytokine expression in rat brain following experimental contusion, 493
Hypothermia and brain injury. Letters, 911, 912
Improvement of cognitive deficits and decreased cholinergic neuronal cell loss and apoptotic cell death following neurotrophin infusion after experimental traumatic brain injury, 511
Intravenous insulin-like growth factor-I (IGF-I) in moderate-to-severe head injury: a Phase II safety and efficacy trial, 779
Paradoxical effects of acute ethanolism in experimental brain injury, 876
Pentobarbital and venous oxygenation. Letters, 1070, 1071
Brain mapping
Neuromagnetic evaluation of cortical auditory function in patients with temporal lobe tumors, 610
Brain neoplasm
Anaplastic ependymoma: treatment of pediatric patients with or without craniospinal radiation therapy, 943
Hydatid cyst and brain tumor in the same location. Case illustration, 312
Isolation and characterization of human malignant glioma cells from histologically normal brain, 525
"Miliary" metastatic tumors in the brain. Case report, 564
Primary intracranial germ cell tumors: a clinical analysis of 153 histologically verified cases, 446
Utility of relative cerebral blood volume mapping derived from perfusion magnetic resonance imaging in the routine follow up of brain tumors, 22
Brain tissue pressure
Regional brain tissue pressure gradients created by expanding extradural temporal mass lesion, 505
Brainstem tumor
Carboplatin and vincristine chemotherapy for children with newly diagnosed progressive low-grade gliomas, 747
Continuous intraoperative electromyographic monitoring of cranial nerves during resection of fourth ventricular tumors in children, 1
Burr hole
A burr hole button to secure the electrode cable in depth electrode placement. Technical note, 905
Burst fracture
Selection criteria and outcome of operative approaches for thoracolumbar burst fractures with and without neurological deficit, 48
Bypass procedure
Saphenous vein graft bypass of the sigmoid sinus and jugular bulb during the removal of glomus jugulare tumors. Case report, 1036

Calbindin D28K
Progressive loss of glutamic acid decarboxylase, parvalbumin, and calbindin D28K immunoreactive neurons in the cerebral cortex and hippocampus of adult rat with experimental hydrocephalus, 263
Calcium
Calcium carbonate apatite deposition in the cervical spine with associated vertebral destruction. Case report, 1022
Capillary
Mixed arteriovenous malformation and capillary telangiectasia: a rare subset of mixed vascular malformations. Case report, 699
Normal perfusion pressure breakthrough: the role of capillaries, 519
Carotid artery
Hypoplastic internal carotid artery mimicking a classic angiographic "string sign." Case report, 567
Juvenile active ossifying fibroma. Report of four cases, 279
Results of surgery for head and neck tumors that involve the carotid artery at the skull base, 787
Carotid compression
Evaluation of the transient hyperemic response test in head-injured patients, 773

Carotid endarterectomy
Hypoplastic internal carotid artery mimicking a classic angiographic "string sign." Case report, 567
Catheter
Ventriculofemoroatrial shunt: a viable alternative for the treatment of hydrocephalus. Technical note, 1067
Cavernous malformation
Regional parenchymal enhancement with mixed cavernous/venous malformations of the brain. Case report, 154
Cavernous sinus
Intravascular papillary endothelial hyperplasia of the sellar region. Report of three cases and review of the literature, 558
The suboccipital cavernous sinus, 252
The suboccipital cavernous sinus. Letters, 315, 316
Cell culture
Hydroxyurea for treatment of unresectable and recurrent meningiomas. I. Inhibition of primary human meningioma cells in culture and in meningioma transplants by induction of the apoptotic pathway, 845
Cell motility
Isolation and characterization of human malignant glioma cells from histologically normal brain, 525
Central nervous system
Multifocal noninfectious granulomatous encephalitis in a child. Case report, 1042
Central neurocytoma
Central neurocytoma. Letters, 321, 322
Cerebellar vermis
Monstrous crablike hypertrophy of the cerebellar vermis. Letters, 738, 739
Cerebellopontine angle
Direct brainstem recording of auditory evoked potentials during vestibular schwannoma resection: nuclear BAEP recordings. Technical note and preliminary results, 1057
The widened retrolabyrinthine approach: a new concept in acoustic neuroma surgery, 812
Cerebellum
Toward an agreement on terminology of nuclear and subnuclear divisions of the motor thalamus, 670
Cerebral blood flow
Cerebral blood flow and temporal lobe epileptogenicity, 226
Cerebral blood flow as a predictor of outcome following traumatic brain injury, 633
Cerebral hyperglycolysis following severe traumatic brain injury in humans: a positron emission tomography study, 241
Effect of transluminal angioplasty on cerebral blood flow in the management of symptomatic vasospasm following aneurysmal subarachnoid hemorrhage, 830
Mechanisms of edema formation after intracerebral hemorrhage: effects of thrombin on cerebral blood flow, blood-brain barrier permeability, and cell survival in a rat model, 272
Specific repression of the *preproendothelin-1* gene in intracranial arteriovenous malformations, 101
Cerebral metabolism
Cerebral blood flow as a predictor of outcome following traumatic brain injury, 633
Hemodynamic and metabolic disturbances in patients with intracranial dural arteriovenous fistulas: positron emission tomography evaluation before and after treatment, 806
Cerebral palsy
Lack of specificity in electrophysiological identification of lower sacral roots during selective dorsal rhizotomy, 28
Selective dorsal rhizotomy and rates of orthopedic surgery in children with spastic cerebral palsy, 34
Cerebral perfusion pressure
Effect of hemodilution with diaspirin cross-linked hemoglobin on intracranial pressure, cerebral perfusion pressure, and fluid requirements after head injury and shock, 131
Monitoring of autoregulation using laser Doppler flowmetry in patients with head injury, 438
Cerebral venous monitoring
Pentobarbital and venous oxygenation. Letters, 1070, 1071
Cerebrospinal fluid
Arterial pulsation-dependent perivascular cerebrospinal fluid flow into the central canal in the sheep spinal cord, 686
Treatment of syringomyelia associated with arachnoid scarring caused by arachnoiditis or trauma, 233
Cerebrospinal fluid fistula
The widened retrolabyrinthine approach: a new concept in acoustic neuroma surgery, 812
Cerebrospinal fluid leak
Intracranial hypotension. Letters, 165
Chemonucleolysis
Chymopapain-induced reduction of proinflammatory phospholipase A_2 activity and amelioration of neuropathic behavioral changes in an *in vivo* model of acute sciatica, 998
Chemotherapy
Carboplatin and vincristine chemotherapy for children with newly diagnosed progressive low-grade gliomas, 747
Hydroxyurea for treatment of unresectable and recurrent meningiomas. II. Decrease in the size of meningiomas in patients treated with hydroxyurea, 840
Primary intracranial germ cell tumors: a clinical analysis of 153 histologically verified cases, 446
Subdural sarcoma associated with chronic subdural hematoma. Report of two cases and review of the literature, 553
Chiari malformation
Pathogenesis of Chiari malformation: a morphometric study of the posterior cranial fossa, 40
Resolution of acquired tonsillar herniation after resection of supratentorial meningioma. Case illustration, 572
Syringomyelia associated with a posterior fossa cyst. Illustration of two cases, 907
Children
Anaplastic ependymoma: treatment of pediatric patients with or without craniospinal radiation therapy, 943
Carboplatin and vincristine chemotherapy for children with newly diagnosed progressive low-grade gliomas, 747
Continuous intraoperative electromyographic monitoring of cranial nerves during resection of fourth ventricular tumors in children, 1
Radiosurgery for cerebral AVMs in children and adolescents: the neurobehavioral outcome, 207
Cholesterol
Petrous apex cholesterol granulomas: evolution and management, 822
Chordoma
Skull base chordomas: a management challenge, 182
Coagulopathy
Hydroxyethyl starch. Letter, 574
Cochlear nerve
Selective cochlear neurotomy in the cerebellopontine cistern using electrophysiological monitoring in a patient with intractable tinnitus. Case report, 1053
Collagen
Spatial pattern of type I collagen expression in injured peripheral nerve, 866
Utilization of type I collagen gel, demineralized bone matrix, and bone morphogenetic protein-2 to enhance autologous bone lumbar spinal fusion, 93
Computerized tomography
Diagnosis of root avulsions in traumatic brachial plexus injuries: value of computerized tomography myelography and magnetic resonance imaging, 69
Congenital disease
Inadequate *PAX-1* gene expression as a cause of agenesis of the thoracolumbar spine with failure of segmentation. Case report, 1018
Corpus callosum
Agenesis of the corpus callosum. Letters, 914
Cortical revascularization
Split dura for revascularization. Letters, 575
Cost analysis
Mortality rates, hospital length of stay, and the cost of treating subarachnoid hemorrhage in older patients: institutional and geographical differences, 583
Cranial suture
Classification of previously unclassified cases of craniosynostosis, 177

Index

Craniopharyngioma
Craniopharyngioma arising de novo in middle age. Case report, 1046
Craniosynostosis
Classification of previously unclassified cases of craniosynostosis, 177
Crystal deposition
Calcium carbonate apatite deposition in the cervical spine with associated vertebral destruction. Case report, 1022
Cyst
Dandy-Walker malformation associated with syringomyelia. Case illustration, 571
Synovial cyst and degeneration of the transverse ligament: an unusual cause of high cervical myelopathy. Case report, 1027
Syringomyelia associated with a posterior fossa cyst. Illustration of two cases, 907
Cytometry
Nearest-neighbor classification for identification of aggressive versus nonaggressive low-grade astrocytic tumors by means of image cytometry-generated variables, 532

D dimer
Fibrinolytic parameters as an admission prognostic marker of head injury in patients who talk and deteriorate, 768
Dandy-Walker syndrome
Dandy-Walker malformation associated with syringomyelia. Case illustration, 571
Depth electrode
A burr hole button to secure the electrode cable in depth electrode placement. Technical note, 905
Dermoid tumor
Movable oil in the brain: intracranial ruptured dermoid tumors. Case illustration, 734
Detachable coil
Balloon-assisted coil placement in wide-necked aneurysms. Technical note, 724
Experimental aneurysms. Letters, 914, 916
Guglielmi detachable coil embolization of acute intracranial aneurysm: perioperative anatomical and clinical outcome in 403 patients, 475
Dexamethasone
Serial magnetic resonance imaging of delayed cerebral radiation necrosis treated with dexamethasone. Case illustration, 1067
Discectomy
Decompression via microsurgical anterior foraminotomy for cervical spondylotic myelopathy. Technical note, 297
Dopamine
Long-term improvement in patients with severe Parkinson's disease after implantation of fetal ventral mesencephalic tissue into a cavity of caudate nucleus: 5-year follow up in 10 patients, 931
Dura
Epstein-Barr virus-associated dural leiomyosarcoma in a man infected with human immunodeficiency virus. Case report, 883
Dural arteriovenous fistula, *see* Arteriovenous malformation
Dural sinus
Isolated straight sinus and deep cerebral venous thrombosis: successful treatment with local infusion of urokinase. Case report, 704
Dural substitute
Development of a dural substitute from synthetic bioabsorbable polymers, 1012
Duroplasty
Duraplasty with biosynthetic cellulose: an experimental study, 143
Dysplasia
Basilar invagination in osteogenesis imperfecta and related osteochondrodysplasias: medical and surgical management, 950

Echinococcosis
Hydatid cyst and brain tumor in the same location. Case illustration, 312
Secondary multiple intracranial hydatid cysts caused by intracerebral embolism of cardiac echinococcosis: an exceptional case of hydatidosis. Case report, 714
Edema
Bilateral superior ophthalmic vein enlargement associated with diffuse cerebral swelling. Report of 11 cases, 893
Edema, thrombin, and dexamethasone. Letters, 575
Mechanisms of edema formation after intracerebral hemorrhage: effects of thrombin on cerebral blood flow, blood-brain barrier permeability, and cell survival in a rat model, 272
Electromyography
Continuous intraoperative electromyographic monitoring of cranial nerves during resection of fourth ventricular tumors in children, 1
Lack of specificity in electrophysiological identification of lower sacral roots during selective dorsal rhizotomy, 28
Electrophysiological monitoring
Selective cochlear neurotomy in the cerebellopontine cistern using electrophysiological monitoring in a patient with intractable tinnitus. Case report, 1053
Embolism
Secondary multiple intracranial hydatid cysts caused by intracerebral embolism of cardiac echinococcosis: an exceptional case of hydatidosis. Case report, 714
Embolization
Embolization and radiosurgery for AVMs. Letters, 318, 319, 320
Experimental aneurysms. Letters, 914, 916
Guglielmi detachable coil embolization of acute intracranial aneurysm: perioperative anatomical and clinical outcome in 403 patients, 475
Endodermal sinus
Primary endodermal sinus tumor presenting with spinal cord compression. Case report, 151
Endoscopy
Juvenile active ossifying fibroma. Report of four cases, 279
Third ventricle colloid cysts: a consecutive 12-year series, 5
Endothelial cell
Histological interaction of cultured endothelial cells and endovascular embolic materials coated with extracellular matrix, 109
Endothelin
Specific repression of the *preproendothelin-1* gene in intracranial arteriovenous malformations, 101
Endovascular therapy
Balloon-assisted coil placement in wide-necked aneurysms. Technical note, 724
Effect of transluminal angioplasty on cerebral blood flow in the management of symptomatic vasospasm following aneurysmal subarachnoid hemorrhage, 830
Endovascular treatment of acutely ruptured and unruptured aneurysms of the basilar bifurcation, 211
Histological interaction of cultured endothelial cells and endovascular embolic materials coated with extracellular matrix, 109
Eosinophilic granuloma
Erdheim-Chester disease of the central nervous system. Report of two cases, 888
Ependymoma
Anaplastic ependymoma: treatment of pediatric patients with or without craniospinal radiation therapy, 943
Epidemiological study
Mortality rates, hospital length of stay, and the cost of treating subarachnoid hemorrhage in older patients: institutional and geographical differences, 583
Epilepsy, *see also* Seizure
A burr hole button to secure the electrode cable in depth electrode placement. Technical note, 905
Amygdalohippocampectomy. Letters, 1072
Cerebral blood flow and temporal lobe epileptogenicity, 226
Head injuries due to falls caused by seizures: a group at high risk for traumatic intracranial hematomas, 433
Ultrasound-tailored functional hemispherectomy for surgical control of seizures in children, 762
Epileptogenicity
Cerebral blood flow and temporal lobe epileptogenicity, 226
Estrogen receptor
Progesterone and estrogen receptors in meningiomas: prognostic considerations, 113
Ethanol
Paradoxical effects of acute ethanolism in experimental brain injury, 876

Evoked potential
Direct brainstem recording of auditory evoked potentials during vestibular schwannoma resection: nuclear BAEP recordings. Technical note and preliminary results, 1057
Waveform changes due to conduction block and their underlying mechanism in spinal somatosensory evoked potential: a computer simulation. Technical note, 303
Extracellular fluid
Treatment of syringomyelia associated with arachnoid scarring caused by arachnoiditis or trauma, 233
Extracellular matrix
Histological interaction of cultured endothelial cells and endovascular embolic materials coated with extracellular matrix, 109

Facial nerve
Continuous intraoperative electromyographic monitoring of cranial nerves during resection of fourth ventricular tumors in children, 1
Hypoglossal-facial nerve side-to-end anastomosis for preservation of hypoglossal function: results of delayed treatment with a new technique, 203
Repositioning of the vertebral artery as treatment for neurovascular compression syndromes. Technical note, 728
Fiberoptic pressure monitor
Prospective study of zero drift in fiberoptic pressure monitors used in clinical practice, 927
Fibrinolysis
Fibrinolytic parameters as an admission prognostic marker of head injury in patients who talk and deteriorate, 768
Fibroma
Juvenile active ossifying fibroma. Report of four cases, 279
Fibrosarcoma
Subdural sarcoma associated with chronic subdural hematoma. Report of two cases and review of the literature, 553
Fluid-percussion injury
Improvement of cognitive deficits and decreased cholinergic neuronal cell loss and apoptotic cell death following neurotrophin infusion after experimental traumatic brain injury, 511
Functional imaging
Functional magnetic resonance imaging. Letters, 316, 317

Gadolinium
Utility of relative cerebral blood volume mapping derived from perfusion magnetic resonance imaging in the routine follow up of brain tumors, 22
Ganglioglioma
Differentiating central neurocytoma. Case report, 543
Ganglion
Differentiating central neurocytoma. Case report, 543
Germ cell tumor
Primary intracranial germ cell tumors: a clinical analysis of 153 histologically verified cases, 446
Glioblastoma multiforme
Isolation and characterization of human malignant glioma cells from histologically normal brain, 525
Peripheral nerve or brainstem glioblastoma. Letters, 739, 740
Tumors of the insula. Letters, 910
Glioma
Analysis of proliferation markers and p53 expression in gliomas of astrocytic origin: relationships and prognostic value, 121
Carboplatin and vincristine chemotherapy for children with newly diagnosed progressive low-grade gliomas, 747
Intracarotid infusion of RMP-7, a bradykinin analog, and transport of gallium-68 ethylenediamine tetraacetic acid into human gliomas, 603
Stereotactic biopsy of nonpolar tumors in the dominant hemisphere: a prospective study of effects on language functions, 923
Tumors of the insula. Letters, 910
Gorlin's syndrome
Multiple neoplasms following craniospinal irradiation for medulloblastoma in a patient with nevoid basal cell carcinoma syndrome. Case report, 286

Grading systems
Intravenous insulin-like growth factor-I (IGF-I) in moderate-to-severe head injury: a Phase II safety and efficacy trial, 779
Surgery for cerebral arteriovenous malformation: risks related to lenticulostriate arterial supply, 801
The relationship of subarachnoid hemorrhage and the need for postoperative shunting, 462
Graft
Long-term improvement in patients with severe Parkinson's disease after implants of fetal ventral mesencephalon into a cavity of caudate nucleus: 5-year follow up in 10 patients, 931
Granuloma
Lymphoplasmacyte-rich meningioma with clinical resemblance to inflammatory pseudotumor. Report of two cases, 898
Multifocal noninfectious granulomatous encephalitis in a child. Case report, 1042
Petrous apex cholesterol granulomas: evolution and management, 822
Growth factor
Improvement of cognitive deficits and decreased cholinergic neuronal cell loss and apoptotic cell death following neurotrophin infusion after experimental traumatic brain injury, 511
Potential efficacy of basic fibroblast growth factor incorporated in biodegradable hydrogels for skull bone regeneration, 871

Head injury, *see also* Brain injury
Acute hydrocephalus in posterior fossa injury, 629
Cerebral autoregulation following minor head injury, 425
Development of anterior cranial fossa dural arteriovenous malformation following head trauma. Case report, 291
Effect of hemodilution with diaspirin cross-linked hemoglobin on intracranial pressure, cerebral perfusion pressure, and fluid requirements after head injury and shock, 131
Evaluation of the transient hyperemic response test in head-injured patients, 773
Fibrinolytic parameters as an admission prognostic marker of head injury in patients who talk and deteriorate, 768
Head injuries due to falls caused by seizures: a group at high risk for traumatic intracranial hematomas, 433
Monitoring of autoregulation using laser Doppler flowmetry in patients with head injury, 438
Hearing
Direct brainstem recording of auditory evoked potentials during vestibular schwannoma resection. Case report, 1061
Hearing preservation in the removal of intracanalicular acoustic neuromas via the retrosigmoid approach, 456
Neuromagnetic evaluation of cortical auditory function in patients with temporal lobe tumors, 610
The widened retrolabyrinthine approach: a new concept in acoustic neuroma surgery, 812
Heat shock protein
Heat shock protein. Letters, 172
Hematoma
Head injuries due to falls caused by seizures: a group at high risk for traumatic intracranial hematomas, 433
Hemifacial spasm
Electrophysiological investigation of hemifacial spasm after microvascular decompression: F waves of the facial muscles, blink reflexes, and abnormal muscle responses, 654
Repositioning of the vertebral artery as treatment for neurovascular compression syndromes. Technical note, 728
Trigeminal neuralgia and contralateral mass. Letters, 171, 172
Hemodilution
Effect of hemodilution with diaspirin cross-linked hemoglobin on intracranial pressure, cerebral perfusion pressure, and fluid requirements after head injury and shock, 131
Hemoglobin
Effect of hemodilution with diaspirin cross-linked hemoglobin on intracranial pressure, cerebral perfusion pressure, and fluid requirements after head injury and shock, 131
Hemorrhage
Postoperative hemorrhage. Letters, 916, 917

Index

Hetastarch
  Hydroxyethyl starch. Letter, 574
Histiocytosis
  Erdheim-Chester disease of the central nervous system. Report of two cases, 888
Human immunodeficiency virus
  Epstein-Barr virus-associated dural leiomyosarcoma in a man infected with human immunodeficiency virus. Case report, 883
Hydatid cyst
  Hydatid cyst and brain tumor in the same location. Case illustration, 312
  Secondary multiple intracranial hydatid cysts caused by intracerebral embolism of cardiac echinococcosis: an exceptional case of hydatidosis. Case report, 714
Hydrocephalus
  Acute hydrocephalus in posterior fossa injury, 629
  Progressive loss of glutamic acid decarboxylase, parvalbumin, and calbindin D28K immunoreactive neurons in the cerebral cortex and hippocampus of adult rat with experimental hydrocephalus, 263
  The relationship of subarachnoid hemorrhage and the need for postoperative shunting, 462
  Ventriculofemoroatrial shunt: a viable alternative for the treatment of hydrocephalus. Technical note, 1063
Hydroxyurea
  Hydroxyurea for treatment of unresectable and recurrent meningiomas. I. Inhibition of primary human meningioma cells in culture and in meningioma transplants by induction of the apoptotic pathway, 845
  Hydroxyurea for treatment of unresectable and recurrent meningiomas. II. Decrease in the size of meningiomas in patients treated with hydroxyurea, 840
Hyperemia
  Cerebral blood flow as a predictor of outcome following traumatic brain injury, 633
Hyperhidrosis
  Hyperhidrosis. Letters, 738, 739
Hyperplasia
  Intravascular papillary endothelial hyperplasia of the sellar region. Report of three cases and review of the literature, 558
Hypertension
  Cerebral blood flow as a predictor of outcome following traumatic brain injury, 633
Hypoglossal nerve
  Hypoglossal-facial nerve side-to-end anastomosis for preservation of hypoglossal function: results of delayed treatment with a new technique, 203
Hypotension, intracranial
  Intracranial hypotension. Letters, 165
Hypothermia
  Hypothermia and brain injury. Letters, 911, 912

Immunocytochemistry
  Progesterone and estrogen receptors in meningiomas: prognostic considerations, 113
Immunohistochemistry
  Differentiating central neurocytoma. Case report, 543
  Progressive loss of glutamic acid decarboxylase, parvalbumin, and calbindin D28K immunoreactive neurons in the cerebral cortex and hippocampus of adult rat with experimental hydrocephalus, 263
Implant
  Duraplasty with biosynthetic cellulose: an experimental study, 143
Infarction
  Correlation between venous stump pressure and brain damage after cortical vein occlusion: an experimental study, 694
Infection
  Management of postoperative infections after spinal instrumentation, 975
  Primary reconstruction for spinal infections, 981
Instrumentation
  Management of postoperative infections after spinal instrumentation, 975
  Outcome analysis for adults with spondylolisthesis treated with posterolateral fusion and transpedicular screw fixation, 56
  Primary reconstruction for spinal infections, 981
Insular tumor
  Tumors of the insula. Letters, 910
Insulin-like growth factor I
  Intravenous insulin-like growth factor-I (IGF-I) in moderate-to-severe head injury: a Phase II safety and efficacy trial, 779
Interferon-γ
  Delayed cytokine expression in rat brain following experimental contusion, 493
Interleukin-1β
  Delayed cytokine expression in rat brain following experimental contusion, 493
Internal carotid artery
  Hypoplastic internal carotid artery mimicking a classic angiographic "string sign." Case report, 567
  Mobilization of the internal carotid artery for basilar artery aneurysm surgery. Technical note, 294
Intervertebral disc
  Decompression via microsurgical anterior foraminotomy for cervical spondylotic myelopathy. Technical note, 297
  Disappearing cervical disc. Case report, 289
Intracranial pressure
  Effect of hemodilution with diaspirin cross-linked hemoglobin on intracranial pressure, cerebral perfusion pressure, and fluid requirements after head injury and shock, 131
  Regional brain tissue pressure gradients created by expanding extradural temporal mass lesion, 505
Intracranial pressure monitoring
  Prospective study of zero drift in fiberoptic pressure monitors used in clinical practice, 927
  Regional brain tissue pressure gradients created by expanding extradural temporal mass lesion, 505
Intraventricular pressure
  Prospective study of zero drift in fiberoptic pressure monitors used in clinical practice, 927
Ischemia
  Activation of complement by tissue plasminogen activator, but not acute cerebral ischemia, in a rabbit model of thromboembolic stroke, 139
  Serial changes of hemostasis in aneurysmal subarachnoid hemorrhage with special reference to delayed ischemic neurological deficits, 594

Ki-67
  Central neurocytoma. Letters, 321, 322
Kyphoscoliosis
  Inadequate *PAX-1* gene expression as a cause of agenesis of thoracolumbar spine with failure of segmentation. Case report, 1018

Laminoplasty
  Modified open-door cervical expansive laminoplasty for spondylotic myelopathy: operative technique, outcome, and predictors for gait improvement, 64
Language
  Stereotactic biopsy of dominant hemispheric nonpolar tumors: a prospective study of its effects on language functions, 923
Laser
  Monitoring of autoregulation using laser Doppler flowmetry in patients with head injury, 438
Leiomyosarcoma
  Epstein-Barr virus-associated dural leiomyosarcoma in a man infected with human immunodeficiency virus. Case report, 883
Lenticulostriate artery
  Surgery for cerebral arteriovenous malformation: risks related to lenticulostriate arterial supply, 801
Leptomeningeal metastasis
  Leptomeningeal metastasis. Letters, 576
Leukocyte
  Reduction of spinal cord injury in rats by administration of iloprost, a stable prostacyclin analog, 1007
Lipid peroxidation
  A randomized, double-blind, vehicle-controlled trial of tirilazad mesylate in patients with aneurysmal subarachnoid hemorrhage: a cooperative study in North America, 467

Liposarcoma
Multiple neoplasms following craniospinal irradiation for medulloblastoma in a patient with nevoid basal cell carcinoma syndrome. Case report, 286
Subdural sarcoma associated with chronic subdural hematoma. Report of two cases and review of the literature, 553
Low-grade glioma
Carboplatin and vincristine chemotherapy for children with newly diagnosed progressive low-grade gliomas, 747
Lumbar spine
Chymopapain-induced reduction of proinflammatory phospholipase A_2 activity and amelioration of neuropathic behavioral changes in an *in vivo* model of acute sciatica, 998

Magnetic resonance imaging
Diagnosis of root avulsions in traumatic brachial plexus injuries: value of computerized tomography myelography and magnetic resonance imaging, 69
Magnetic resonance imaging of obliterated arteriovenous malformations up to 23 years after radiosurgery, 589
Prediction of posterior fossa tumor type in children by means of magnetic resonance image properties, spectroscopy, and neural networks, 755
Progressive posttraumatic myelomalacic myelopathy: treatment with untethering and expansive duraplasty, 624
Serial magnetic resonance imaging of delayed cerebral radiation necrosis treated with dexamethasone. Case illustration, 1071
Magnetic resonance spectroscopy
Diagnosis of brain abscess by magnetic resonance spectroscopy. Report of two cases, 708
Prediction of posterior fossa tumor type in children by means of magnetic resonance image properties, spectroscopy, and neural networks, 755
Magnetoencephalography
Neuromagnetic evaluation of cortical auditory function in patients with temporal lobe tumors, 610
Medulloblastoma
Medulloblastoma: is the 5-year survival rate improving? A review of 80 cases from a single institution, 13
Monstrous crablike hypertrophy of the cerebellar vermis. Letters, 737, 738
Memory
Third ventricle colloid cysts: a consecutive 12-year series, 5
Meningeal artery
Dural inversion procedure for moyamoya disease. Technical note, 719
Meningeal tumor
Solitary fibrous tumor of the meninges. Case report and review of the literature, 1049
Meninges
Duraplasty with biosynthetic cellulose: an experimental study, 143
Meningioma
Clonality of multiple meningiomas, 853
Hydatid cyst and brain tumor in the same location. Case illustration, 312
Hydroxyurea for treatment of unresectable and recurrent meningiomas. I. Inhibition of primary human meningioma cells in culture and in meningioma transplants by induction of the apoptotic pathway, 845
Hydroxyurea for treatment of unresectable and recurrent meningiomas. II. Decrease in the size of meningiomas in patients treated with hydroxyurea, 840
Long-term prognosis for atypical and malignant meningiomas: a study of 71 surgical cases, 793
Lymphoplasmacyte-rich meningioma with clinical resemblance to inflammatory pseudotumor. Report of two cases, 898
Progesterone and estrogen receptors in meningiomas: prognostic considerations, 113
Resolution of acquired tonsillar herniation after resection of supratentorial meningioma. Case illustration, 572
Serial magnetic resonance imaging of delayed cerebral radiation necrosis treated with dexamethasone. Case illustration, 1071
Solitary fibrous tumor of the meninges. Case report and review of the literature, 1049
Metastasis
Leptomeningeal metastasis. Letters, 576
"Miliary" metastatic tumors in the brain. Case report, 564
Surgery or radiosurgery? Letters, 165, 166, 167, 168, 169
Microdecompression
Decompression via microsurgical anterior foraminotomy for cervical spondylotic myelopathy. Technical note, 297
Minimalist versus maximalist approach to the degenerative spine. Letters, 1069
Microvascular decompression
Comparison of C1–2 posterior fusion and decompression of the vertebral artery in the treatment of bow hunter's stroke, 619
Electrophysiological investigation of hemifacial spasm after microvascular decompression: F waves of the facial muscles, blink reflexes, and abnormal muscle responses, 654
Repositioning of the vertebral artery as treatment for neurovascular compression syndromes. Technical note, 728
Sensory effects of microvascular decompression in trigeminal neuralgia, 193
Middle cerebral artery
Proximal long fenestration associated with an internal carotid artery aneurysm. Case illustration, 733
Movement disorder
Thalamic stimulation in movement disorders. Letter, 737
Moyamoya disease
Dural inversion procedure for moyamoya disease. Technical note, 719
Split dura for revascularization. Letters, 575
Myelopathy
Decompression via microsurgical anterior foraminotomy for cervical spondylotic myelopathy. Technical note, 297
Hyperactive pectoralis reflex as an indicator of upper cervical spinal cord compression. Report of 15 cases, 159
Multilevel anterior cervical corpectomy and fibular allograft fusion for cervical myelopathy, 990
Synovial cyst and degeneration of the transverse ligament: an unusual cause of high cervical myelopathy. Case report, 1027
Myelotomy
Surgical interruption of a midline dorsal column visceral pain pathway. Case report and review of the literature, 538

Nerve, *see* specific nerves
Nerve root damage
Sensory effects of microvascular decompression in trigeminal neuralgia, 193
Nerve root stimulation
Chronic electrical stimulation of the gasserian ganglion for the relief of pain in a series of 34 patients, 197
Neurobehavioral outcome
Radiosurgery for cerebral AVMs in children and adolescents: the neurobehavioral outcome, 207
Neurocytoma
Craniospinal dissemination of central neurocytoma. Report of two cases, 547
Differentiating central neurocytoma. Case report, 543
Neurofibromatosis type 2 gene
Clonality of multiple meningiomas, 853
Neurotomy
Peripheral selective neurotomy of the brachial plexus collateral branches for the treatment of the spastic shoulder: anatomical study and clinical results in five patients, 648
Selective cochlear neurotomy in the cerebellopontine cistern using electrophysiological monitoring in a patient with intractable tinnitus. Case report, 1053
Neurovascular compression syndrome
Repositioning of the vertebral artery as treatment for neurovascular compression syndromes. Technical note, 728
Nimodipine
Traumatic subarachnoid hemorrhage. Letters, 317
Nissl stain
Progressive loss of glutamic acid decarboxylase, parvalbumin, and calbindin D28K immunoreactive neurons in the cerebral cortex and hippocampus of adult rat with experimental hydrocephalus, 263

Index

Nitric oxide
Nitric oxide and vasospasm. Letters, 741
Nitrogen balance
Intravenous insulin-like growth factor-I (IGF-I) in moderate-to-severe head injury: a Phase II safety and efficacy trial, 779
Nutrition
Intravenous insulin-like growth factor-I (IGF-I) in moderate-to-severe head injury: a Phase II safety and efficacy trial, 779

Occipital bone
Pathogenesis of Chiari malformation: a morphometric study of the posterior cranial fossa, 40
Occipitocervical fixation
Basilar invagination in osteogenesis imperfecta and related osteochondrodysplasias: medical and surgical management, 950
Oculomotor nerve
Peripheral nerve or brainstem glioblastoma. Letters, 739, 740
Oligodendroglioma
Isolation and characterization of human malignant glioma cells from histologically normal brain, 525
Operative technique, *see also* Surgical approach *and* specific approaches
Selection criteria and outcome of operative approaches for thoracolumbar burst fractures with and without neurological deficit, 48
Ophthalmic artery
Mobilization of the internal carotid artery for basilar artery aneurysm surgery. Technical note, 294
Osteogenesis
Basilar invagination in osteogenesis imperfecta and related osteochondrodysplasias: medical and surgical management, 950
Osteomyelitis
Primary reconstruction for spinal infections, 981
Outcome
Intravenous insulin-like growth factor-I (IGF-I) in moderate-to-severe head injury: a Phase II safety and efficacy trial, 779
Magnetic resonance imaging of obliterated arteriovenous malformations up to 23 years after radiosurgery, 589
Outcome analysis for adults with spondylolisthesis treated with posterolateral fusion and transpedicular screw fixation, 56
Oxyhemoglobin
Effects of intraluminal or extraluminal endothelin on perfused rabbit basilar arteries, 859

Pain
Chronic electrical stimulation of the gasserian ganglion for the relief of pain in a series of 34 patients, 197
Surgical interruption of a midline dorsal column visceral pain pathway. Case report and review of the literature, 538
Pallidotomy
Tremor control after pallidotomy in patients with Parkinson's disease: correlation with microrecording findings, 642
Paraganglioma
Saphenous vein graft bypass of the sigmoid sinus and jugular bulb during the removal of glomus jugulare tumors. Report of two cases, 1036
Parkinson's disease
Long-term improvement in patients with severe Parkinson's disease after implantation of fetal ventral mesencephalic tissue into a cavity of caudate nucleus: 5-year follow up in 10 patients, 931
Tremor control after pallidotomy in patients with Parkinson's disease: correlation with microrecording findings, 642
Pediatric surgery
Multifocal noninfectious granulomatous encephalitis in a child. Case report, 1042
Pediatric tumor
Prediction of posterior fossa tumor type in children by means of magnetic resonance image properties, spectroscopy, and neural networks, 755
Pedicle fixation
Selection criteria and outcome of operative approaches for thoracolumbar burst fractures with and without neurological deficit, 48
Perfusion
Utility of relative cerebral blood volume mapping derived from perfusion magnetic resonance imaging in the routine follow up of brain tumors, 22
Perfusion pressure
Normal perfusion pressure breakthrough: the role of capillaries, 519
Peripheral nerve
Spatial pattern of type I collagen expression in injured peripheral nerve, 866
Peripheral vascular disease
Improvement of limb circulation in peripheral vascular disease using epidural spinal cord stimulation: a prospective study, 662
Petrous apex
Petrous apex cholesterol granulomas: evolution and management, 822
Polymer
Development of a dural substitute from synthetic bioabsorbable polymers, 1012
Porencephaly
Ultrasound-tailored functional hemispherectomy for surgical control of seizures in children, 762
Positron emission tomography
Cerebral hyperglycolysis following severe traumatic brain injury in humans: a positron emission tomography study, 241
Hemodynamic and metabolic disturbances in patients with intracranial dural arteriovenous fistulas: positron emission tomography evaluation before and after treatment, 806
Intracarotid infusion of RMP-7, a bradykinin analog, and transport of gallium-68 ethylenediamine tetraacetic acid into human gliomas, 603
Posterior fossa
Acute hydrocephalus in posterior fossa injury, 629
Syringomyelia associated with a posterior fossa cyst. Illustration of two cases, 907
Posterior fossa tumor
Prediction of posterior fossa tumor type in children by means of magnetic resonance image properties, spectroscopy, and neural networks, 755
Pressure gradients
Regional brain tissue pressure gradients created by expanding extradural temporal mass lesion, 505
Progesterone receptor
Progesterone and estrogen receptors in meningiomas: prognostic considerations, 113
Prognosis
Fibrinolytic parameters as an admission prognostic marker of head injury in patients who talk and deteriorate, 768
Long-term prognosis for atypical and malignant meningiomas: a study of 71 surgical cases, 793
Proliferating cell nuclear antigen
Analysis of proliferation markers and p53 expression in gliomas of astrocytic origin: relationships and prognostic value, 121
Central neurocytoma. Letters, 321, 322
Prostacyclin
Reduction of spinal cord injury in rats by administration of iloprost, a stable prostacyclin analog, 1007

Quadriplegia
Selective dorsal rhizotomy and rates of orthopedic surgery in children with spastic cerebral palsy, 34

Radiation therapy
Anaplastic ependymoma: treatment of pediatric patients with or without craniospinal radiation therapy, 943
Primary intracranial germ cell tumors: a clinical analysis of 153 histologically verified cases, 446
Radiation-induced tumor
Multiple neoplasms following craniospinal irradiation for medulloblastoma in a patient with nevoid basal cell carcinoma syndrome. Case report, 286
Radiculitis
Decompression via microsurgical anterior foraminotomy for cervical spondylotic myelopathy. Technical note, 297

Radiosurgery
Embolization and radiosurgery for AVMs. Letters, 318, 319, 320
Magnetic resonance imaging of obliterated arteriovenous malformations up to 23 years after radiosurgery, 589
Radiosurgery for cerebral AVMs in children and adolescents: the neurobehavioral outcome, 207
Skull base chordomas: a management challenge, 182
Surgery or radiosurgery? Letters, 165, 166, 167, 168, 169
Rebleeding
Reducing the risk of rebleeding before early aneurysm surgery: a possible role for antifibrinolytic therapy, 220
Retrolabyrinthine approach
The widened retrolabyrinthine approach: a new concept in acoustic neuroma surgery, 812
Revascularization
Dural inversion procedure for moyamoya disease. Technical note, 719
Rhizotomy
Lack of specificity in electrophysiological identification of lower sacral roots during selective dorsal rhizotomy, 28
Selective dorsal rhizotomy and rates of orthopedic surgery in children with spastic cerebral palsy, 34
Root avulsion
Diagnosis of root avulsions in traumatic brachial plexus injuries: value of computerized tomography myelography and magnetic resonance imaging, 69

Scanning electron microscopy
Histological interaction of cultured endothelial cells and endovascular embolic materials coated with extracellular matrix, 109
Seizure, *see also* Epilepsy
Cerebral blood flow and temporal lobe epileptogenicity, 226
Cerebral hyperglycolysis following severe traumatic brain injury in humans: a positron emission tomography study, 241
Head injuries due to falls caused by seizures: a group at high risk for traumatic intracranial hematomas, 433
Shock
Effect of hemodilution with diaspirin cross-linked hemoglobin on intracranial pressure, cerebral perfusion pressure, and fluid requirements after head injury and shock, 131
Shunt, *see also* types of shunt
Fluoroscopy of programmable cerebrospinal fluid shunt valve settings. Technical illustration, 735
Sigmoid sinus
Saphenous vein graft bypass of the sigmoid sinus and jugular bulb during the removal of glomus jugulare tumors. Case report, 1036
Skull base
Results of surgery for head and neck tumors that involve the carotid artery at the skull base, 787
Skull base chordomas: a management challenge, 182
Skull defect
Potential efficacy of basic fibroblast growth factor incorporated in biodegradable hydrogels for skull bone regeneration, 871
Spasticity, *see also* Cerebral palsy
Intrathecal baclofen. Letters, 917, 918
Peripheral selective neurotomy of the brachial plexus collateral branches for the treatment of the spastic shoulder: anatomical study and clinical results in five patients, 648
Spinal canal
Arterial pulsation-dependent perivascular cerebrospinal fluid flow into the central canal in the sheep spinal cord, 686
Spinal cord compression
Primary endodermal sinus tumor presenting with spinal cord compression. Case report, 151
Spinal cord injury
Reduction of spinal cord injury in rats by administration of iloprost, a stable prostacyclin analog, 1007
Vascular mechanisms in the pathophysiology of human spinal cord injury, 483
Spinal cord stimulation
Improvement of limb circulation in peripheral vascular disease using epidural spinal cord stimulation: a prospective study, 662

Spinal fusion
Multilevel anterior cervical corpectomy and fibular allograft fusion for cervical myelopathy, 990
Outcome analysis for adults with spondylolisthesis treated with posterolateral fusion and transpedicular screw fixation, 56
Revision of anterior cervical pseudarthrosis with anterior allograft fusion and plating, 969
Utilization of type I collagen gel, demineralized bone matrix, and bone morphogenetic protein-2 to enhance autologous bone lumbar spinal fusion, 93
Spinal injury
Radiological and anatomical evaluation of the atlantoaxial transarticular screw fixation technique, 961
Spinal neoplasm
Leptomeningeal metastasis. Letters, 576
Primary endodermal sinus tumor presenting with spinal cord compression. Case report, 151
Spinal stabilization
Radiological and anatomical evaluation of the atlantoaxial transarticular screw fixation technique, 961
Spine
Calcium carbonate apatite deposition in the cervical spine with associated vertebral destruction. Case report, 1022
Disappearing cervical disc. Case report, 289
Management of postoperative infections after spinal instrumentation, 975
Primary reconstruction for spinal infections, 981
Tumoral calcinosis of the cervical spine in an infant. Case illustration, 162
Waveform changes due to conduction block and their underlying mechanism in spinal somatosensory evoked potential: a computer simulation. Technical note, 303
Spondylolisthesis
Minimalist versus maximalist approach to the degenerative spine. Letters, 1069
Outcome analysis for adults with spondylolisthesis treated with posterolateral fusion and transpedicular screw fixation, 56
Spondylosis
Decompression via microsurgical anterior foraminotomy for cervical spondylotic myelopathy. Technical note, 297
Hyperactive pectoralis reflex as an indicator of upper cervical spinal cord compression. Report of 15 cases, 159
Multilevel anterior cervical corpectomy and fibular allograft fusion for cervical myelopathy, 990
Spondylotic myelopathy
Modified open-door cervical expansive laminoplasty for spondylotic myelopathy: operative technique, outcome, and predictors for gait improvement, 64
Stereotaxis
Stereotactic biopsy of nonpolar tumors in the dominant hemisphere: a prospective study of effects on language functions, 923
Steroids
Multifocal noninfectious granulomatous encephalitis in a child. Case report, 1042
Straight sinus
Isolated straight sinus and deep cerebral venous thrombosis: successful treatment with local infusion of urokinase. Case report, 704
Stroke
Chronic electrical stimulation of the gasserian ganglion for the relief of pain in a series of 34 patients, 197
Dural inversion procedure for moyamoya disease. Technical note, 719
Subarachnoid hemorrhage
Effect of transluminal angioplasty on cerebral blood flow in the management of symptomatic vasospasm following aneurysmal subarachnoid hemorrhage, 830
Guglielmi detachable coil embolization of acute intracranial aneurysm: perioperative anatomical and clinical outcome in 403 patients, 475
Mortality rates, hospital length of stay, and the cost of treating subarachnoid hemorrhage in older patients: institutional and geographical differences, 583
A randomized, double-blind, vehicle-controlled trial of tirilazad mesylate in patients with aneurysmal subarachnoid hemorrhage: a cooperative study in North America, 467

Index

Reducing the risk of rebleeding before early aneurysm surgery: a possible role for antifibrinolytic therapy, 220
Serial changes of hemostasis in aneurysmal subarachnoid hemorrhage with special reference to delayed ischemic neurological deficits, 594
Traumatic subarachnoid hemorrhage. Letters, 317
White blood cell count and mortality. Letters, 1069
Subarachnoid pressure
Prospective study of zero drift in fiberoptic pressure monitors used in clinical practice, 927
Subdural hematoma
Subdural sarcoma associated with chronic subdural hematoma. Report of two cases and review of the literature, 553
Subdural pressure
Prospective study of zero drift in fiberoptic pressure monitors used in clinical practice, 927
Subluxation
Rotational occlusion of the vertebral artery caused by transverse process hyperrotation and unilateral apophyseal joint subluxation. Case report, 1031
Suboccipital decompression
Dandy-Walker malformation associated with syringomyelia. Case illustration, 571
Substantia nigra
Toward an agreement on terminology of nuclear and subnuclear divisions of the motor thalamus, 670
Superior ophthalmic vein
Bilateral superior ophthalmic vein enlargement associated with diffuse cerebral swelling. Report of 11 cases, 893
Surgical approach, *see also* Operative technique *and* specific approaches
Hypoglossal-facial nerve side-to-end anastomosis for preservation of hypoglossal function: results of delayed treatment with a new technique, 203
Skull base chordomas: a management challenge, 182
The widened retrolabyrinthine approach: a new concept in acoustic neuroma surgery, 812
Sympathectomy
Hyperhidrosis. Letters, 738, 739
Syringomyelia
Arterial pulsation-dependent perivascular cerebrospinal fluid flow into the central canal in the sheep spinal cord, 686
Dandy-Walker malformation associated with syringomyelia. Case illustration, 571
Pathogenesis of Chiari malformation: a morphometric study of the posterior cranial fossa, 40
Syringomyelia associated with a posterior fossa cyst. Illustration of two cases, 907
Treatment of syringomyelia associated with arachnoid scarring caused by arachnoiditis or trauma, 233

Telangiectasis
Mixed arteriovenous malformation and capillary telangiectasia: a rare subset of mixed vascular malformations. Case report, 699
Temporal lobe
Neuromagnetic evaluation of cortical auditory function in patients with temporal lobe tumors, 610
Postoperative hemorrhage. Letters, 916, 917
Tethered spinal cord
Progressive posttraumatic myelomalacic myelopathy: treatment with untethering and expansive duraplasty, 624
Thalamotomy
Thalamic stimulation in movement disorders. Letter, 737
Thalamus
Toward an agreement on terminology of nuclear and subnuclear divisions of the motor thalamus, 670
Thallium-201
Utility of relative cerebral blood volume mapping derived from perfusion magnetic resonance imaging in the routine follow up of brain tumors, 22
Thoracolumbar spine
Selection criteria and outcome of operative approaches for thoracolumbar burst fractures with and without neurological deficit, 48
Thrombin
Edema, thrombin, and dexamethasone. Letters, 575
Mechanisms of edema formation after intracerebral hemorrhage: effects of thrombin on cerebral blood flow, blood-brain barrier permeability, and cell survival in a rat model, 272
Thrombosis
Isolated straight sinus and deep cerebral venous thrombosis: successful treatment with local infusion of urokinase. Case report, 704
Tirilazad mesylate
A randomized, double-blind, vehicle-controlled trial of tirilazad mesylate in patients with aneurysmal subarachnoid hemorrhage: a cooperative study in North America, 467
Tissue plasminogen activator
Activation of complement by tissue plasminogen activator, but not acute cerebral ischemia, in a rabbit model of thromboembolic stroke, 139
Torticollis
Tumoral calcinosis of the cervical spine in an infant. Case illustration, 162
Transcallosal approach
Third ventricle colloid cysts: a consecutive 12-year series, 5
Transfacial approach
Juvenile active ossifying fibroma. Report of four cases, 279
Transoral approach
Basilar invagination in osteogenesis imperfecta and related osteochondrodysplasias: medical and surgical management, 950
Transpetrosal approach
Transpetrosal approach and sinus division. Letters, 1072, 1073
Transplantation
Long-term improvement in patients with severe Parkinson's disease after implantation of fetal ventral mesencephalic tissue into a cavity of caudate nucleus: 5-year follow up in 10 patients, 931
Tremor
Tremor control after pallidotomy in patients with Parkinson's disease: correlation with microrecording findings, 642
Trigeminal nerve
Chronic electrical stimulation of the gasserian ganglion for the relief of pain in a series of 34 patients, 197
Trigeminal neuralgia
Sensory effects of microvascular decompression in trigeminal neuralgia, 193
Trigeminal neuralgia: a quantitative sensory perception threshold study in patients who had not undergone previous invasive procedures, 190
Trigeminal neuralgia and contralateral mass. Letters, 171, 172
Tumor, *see also* specific tumor types and sites
Results of surgery for head and neck tumors that involve the carotid artery at the skull base, 787

Ultrasound
Evaluation of the transient hyperemic response test in head-injured patients, 773
Progressive posttraumatic myelomalacic myelopathy: treatment with untethering and expansive duraplasty, 624
Ultrasound-tailored functional hemispherectomy for surgical control of seizures in children, 762
Urokinase
Isolated straight sinus and deep cerebral venous thrombosis: successful treatment with local infusion of urokinase. Case report, 704

Vascular disease
Calcium carbonate apatite deposition of the cervical spine with associated vertebral destruction. Case report, 1022
Vascular mechanisms in the pathophysiology of human spinal cord injury, 483
Vascular malformation
Regional parenchymal enhancement with mixed cavernous/venous malformations of the brain. Case report, 154
Vasoactive peptide
Specific repression of the *preproendothelin-1* gene in intracranial arteriovenous malformations, 101

Vasospasm
Effect of transluminal angioplasty on cerebral blood flow in the management of symptomatic vasospasm following aneurysmal subarachnoid hemorrhage, 830
Effects of intraluminal or extraluminal endothelin on perfused rabbit basilar arteries, 859
Nitric oxide and vasospasm. Letters, 741
Serial changes of hemostasis in aneurysmal subarachnoid hemorrhage with special reference to delayed ischemic neurological deficits, 594
Vein, *see* specific veins
Venous malformation
Regional parenchymal enhancement with mixed cavernous/venous malformations of the brain. Case report, 154
Venous occlusion
Correlation between venous stump pressure and brain damage after cortical vein occlusion: an experimental study, 694
Ventriculoatrial shunt
Atrial placement of ventriculoatrial shunts. Letters, 577
Ventriculofemoroatrial shunt
Ventriculofemoroatrial shunt: a viable alternative for the treatment of hydrocephalus. Technical note, 1063
Ventriculoperitoneal shunt
The relationship of subarachnoid hemorrhage and the need for postoperative shunting, 462
Vertebral artery
Comparison of C1–2 posterior fusion and decompression of the vertebral artery in the treatment of bow hunter's stroke, 619
Radiological and anatomical evaluation of the atlantoaxial transarticular screw fixation technique, 961
Rotational occlusion of the vertebral artery caused by transverse process hyperrotation and unilateral apophyseal joint subluxation. Case report, 1031
The suboccipital cavernous sinus, 252
Vertebrobasilar aneurysm
Transpetrosal approach and sinus division. Letters, 1072, 1073
Vertigo
Repositioning of the vertebral artery as treatment for neurovascular compression syndromes. Technical note, 728
Vestibulocochlear nerve
Repositioning of the vertebral artery as treatment for neurovascular compression syndromes. Technical note, 728

White blood cell count
White blood cell count and mortality. Letters, 1069